

NOTICE TO CONTRIBUTORS

THE BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE is intended for the publication of original work in the field. Contributions in the English language from workers of any nationality may be considered for publication.

As understood by those who are responsible for this Journal, social medicine is that branch of science which is concerned with: (a) biological needs, interactions, disabilities, and potentialities of human beings living in social aggregates; (b) numerical, structural, and functional changes of human populations in their biological and medical aspects. To a large extent its methods must necessarily be statistical, involving the use of numerical data obtained either from official sources or from special field investigations, and interpreted in the light of established findings of the laboratory and of the clinic. Social medicine takes within its province the study of all environmental agencies, living and non-living, relevant to health and efficiency, also fertility and population genetics, norms and ranges of variation with respect to individual differences, and investigations directed to the assessment of a regimen of positive health.

All papers submitted for publication and all other editorial matters should be addressed to The Editors, BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE, c/o British Medical Association, Tavistock Square, London, W.C.1.

Papers are accepted on the understanding that they are subject to editorial revision, and that they are contributed to this Journal only. The Editors cannot undertake correspondence about papers returned as unsuitable on the advice of members of the Editorial Board.

Adequate reference should be made to previous work on the subject of the paper. A summary of observations and conclusions must be given.

Papers sent for publication must be typewritten on one side of the paper only, with double spacing and with a margin of at least $1\frac{1}{4}$ inches. Illustrations should be used sparingly. Photographs should be printed on glossy paper and should be a little larger than the size desired for reproduction. Drawings and diagrams should be done in black ink on tracing linen, Bristol board, or stout, white paper. Any lettering on these drawings should be lightly inserted in pencil. The setting up of type by the printers will be much facilitated if attention is paid to the proportions of the standard page measurements. The Editors express the hope that contributors will study the conventions of shading and design of charts employed in the Journal with a view to standardizing visual symbols for ready recognition.

References should be arranged alphabetically at the end of the paper according to the Harvard system. If the reference is to a book, the place of publication, the number of the edition, and the page number should be given. In the text the year of publication must follow the author's name, more than one paper in any one year being indicated by a small letter (a, b, c) after the date. The reference should be given as follows: author's name, initials, year of publication (in parentheses), title of periodical (in italics, abbreviated according to *World Medical Periodicals*), volume number (bold type arabic numerals), and first page number (ordinary type arabic numerals); book titles (in roman and inverted commas), followed by publisher, place of publication, etc.:

Engle, E. T., and Shelesnyak, M. C. (1934). *Hum. Biol.*, 6, 431.

Fluhmann, C. F. (1936). *Amer. J. Obstet. Gynec.*, 31, 573.

— (1939). "Menstrual Disorders." W. B. Saunders, Philadelphia.

Gómez, F. D. (1942). *Hoja fisiol.*, 2, 25.

Contributors will receive one proof, but it is assumed that all but verbal corrections will have been made in the original manuscript; an allowance at the rate of ten shillings per sheet of sixteen pages is made for alterations in the proof (printer's errors excepted), and contributors will be responsible for any excess.

Fifty reprints of papers will, if desired, be provided free. A limited number of additional reprints at cost price can be supplied if application is made when returning proofs. An estimate of the cost will be given on application to the Publishing Manager, British Medical Association.

The Journal will be published quarterly.

Papers which have appeared in THE BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE remain the property of the Journal, and permission to republish them must be obtained from the Editors.

Applications for advertisement space should be addressed to the Advertisement Manager, British Medical Association, Tavistock Square, London, W.C.1.

NOTICE TO SUBSCRIBERS

Subscriptions (£3 per annum) are payable to the British Medical Association

SOCIETY FOR SOCIAL MEDICINE

*Proposed Scientific Programme for the 6th Annual Meeting to be held in Cardiff on
September 27-29, 1962*

SYMPOSIUM

Epidemiological Studies in the Rhondda Fach and the Vale of Glamorgan

A. L. COCHRANE	—	The Valley and the Vale.
PETER OLDHAM	—	Pitfalls in follow-up studies.
IAN HIGGINS	—	Blood groups and chest diseases.
J. ROBINSON	—	Psychological measurement in a random sample.
A. L. COCHRANE	—	Some lesser-known epidemiological aspects of death.

E. D. ACHESON (*University of Oxford*): Relative merits of various identification systems for record linkage.

E. G. KNOX (*University of Durham*): A method for detecting low-intensity epidemics.

W. Z. BILLEWICZ, A. M. THOMSON, AND W. F. F. KEMSLEY (*M.R.C. Obstetric Unit, Aberdeen*): Indices of adiposity.

R. G. CARPENTER (*University of Cambridge*): The problem of sudden death in infancy.

I. LECK AND E. L. M. MILLAR (*University of Birmingham*): Short-term secular changes in the incidence of malformations.

R. A. M. CASE (*Chester Beatty Research Institute, London*): Observations on the secondary sex ratio in England and Wales, 1841-1961.

JOAN DAVIES (introduced by Dr. R. A. M. Case) (*Chester Beatty Research Institute, London*): The tertiary sex ratio in England and Wales, 1841-1961.

J. LOUDON (*M.R.C. Social Psychiatry Unit, Penarth*): Leadership and headache.

J. K. WING AND G. W. BROWN (*Institute of Psychiatry, London*): The relation between social and clinical change in a mental hospital.

W. I. N. KESSEL (*M.R.C. Psychiatric Epidemiology Unit, Edinburgh*): Edinburgh's attempted suicides.

- C. WOOD AND SUSAN MEADOWS (*London School of Hygiene and Tropical Medicine*): A follow-up study of a clinic for the prevention of bronchitis, with particular reference to smoking.
- J. L. ARKLEY AND MARGOT JEFFERYS (*London School of Hygiene and Tropical Medicine*): Social problems seen in general practice.
- S. A. SKLAROFF (*University of Edinburgh*): Epidemiological analysis of peptic ulcer and certain associated conditions in a general practice population group.
- J. A. H. WATERHOUSE AND K. W. CROSS (*University of Birmingham*): Cancer prevalence in the Midland region.
- B. MCMAHON (introduced by Dr. R. M. Acheson) (*Harvard University*): Childhood leukaemia and ante-natal diagnostic *x* rays.
- ALICE STEWART (*University of Oxford*): Adult leukaemias and diagnostic *x* rays.
- P. C. ELWOOD (*Queen's University, Belfast*): A clinical trial of iron-fortified bread.
- A. CULLEY (introduced by Professor A. L. Cochrane) (*Department of Health for Wales*): The smallpox epidemic in South Wales.

