

Subject index

- abortion**, Women's life cycle and abortion decision in unintended pregnancies, **601**
- access to care**, Response to requests for general practice out of hours: geographical analysis in north west England, **673**
- accidental falls**, Incidence and costs of unintentional falls in older people in the United Kingdom, **740**
- administrative registers**, Register based monitoring shows decreasing socioeconomic differences in Finnish perinatal health, **433**
- adolescence**, Early and late growth and blood pressure in adolescence, **226**
Low response rate schools in surveys of adolescent risk taking behaviours: possible biases, possible solutions, **63**
Occupational level of the father and alcohol consumption during adolescence; patterns and predictors, **704**
Socioeconomic health inequalities among a nationally representative sample of Danish adolescents: the role of different types of social relations, **692**
- adolescent**, Prevention of smoking in adolescents with lower education: a school based intervention study, **675**
- age**, Age in epidemiological analysis, **397**
- aggressors**, Cross sectional survey of perpetrators, victims, and witnesses of violence in Bogotá, Colombia, **355**
- aging**, Neighbourhood composition and depressive symptoms among older Mexican Americans, **987**
- agism**, Elderly people and the public health service: a much desirable marriage, **525**
- Albania**, Epidemiology of hypertension and associated cardiovascular risk factors in a country in transition: a population based survey in Tirana City, Albania, **734**
- alcohol**, Increased mortality related to heavy alcohol intake pattern, **379**
What underlies the high alcohol related mortality of the disadvantaged: high morbidity or poor survival?, **981**
- alcohol consumption**, Occupational level of the father and alcohol consumption during adolescence; patterns and predictors, **704**
- Alice Hamilton**, Alice Hamilton, MD: gaining visibility for industrial medicine, **791**
- all cause**, Inequalities in survival from colorectal cancer: a comparison of the impact of deprivation, treatment, and host factors on observed and cause specific survival, **301**
- ambient temperature**, Mortality and temperature in Sofia and London, **628**
- ambulatory care sensitive conditions**, Avoidable hospitalisation rates in Singapore, 1991–1998: assessing trends and inequities of quality in primary care, **17**
- analysis**, Age in epidemiological analysis, **397**
- angina**, Performance of the WHO Rose angina questionnaire in post-menopausal women: Are all of the questions necessary?, **538**
- Aphorism of the month**, Columbus on the need for strategy, **235**
"Man has lost the capacity to foresee and to forestall, he will end by destroying the world" (Albert Schweitzer), **314**
Professionals should be on tap, not on top, **82**
The world is a fast flowing river, **2**
William Morris on health, **887**
- arts**, Arts for health: still searching for the Holy Grail, **401**
- aspirin**, An international scientific meeting on aspirin is needed, **314**
- asthma hospitalisation**, Effect of short-term exposure to gaseous pollution on asthma hospitalisation in children: a bi-directional case-crossover analysis, **50**
- atherosclerosis**, Association between offspring birth weight and atherosclerosis in middle aged men and women: British Regional Heart Study, **462**
- attitudes**, Socioeconomic differences in attitudes and beliefs about healthy lifestyles, **440**
- autonomy**, Self care and consumer health. Do we need a public health ethics?, **5**
- back projection**, Monitoring the severe acute respiratory syndrome epidemic and assessing effectiveness of interventions in Hong Kong Special Administrative Region, **766**
- behavioural problems**, Neighbourhood socioeconomic disadvantage and behavioural problems from late childhood into early adolescence, **699**
- behavioural research**, Collecting behavioural data using the world wide web: considerations for researchers, **68**
- behaviours**, Monitoring community responses to the SARS epidemic in Hong Kong: from day 10 to day 62, **864**
- bias**, Psychosocial factors and public health: a suitable case for treatment?, **565**
- bicycle helmet**, Bicycle helmet campaigns and head injuries among children. Does poverty matter?, **668**
- bioterrorism**, Acute psychological effects of suspected bioterrorism, **353**
- birth rate**, Secular trends in sex ratios at birth in North America and Europe over the second half of the 20th century, **612**
- birth weight**, Association between offspring birth weight and atherosclerosis in middle aged men and women: British Regional Heart Study, **462**
Combination of low birth weight and high adult body mass index: at what age is it established and what are its determinants?, **969**
Social inequalities in low birth weight in England and Wales: trends and implications for future population health, **687**
Socioeconomic position in early life, birth weight, childhood cognitive function, and adult mortality. A longitudinal study of Danish men born in 1953, **681**
- bladder cancer**, Meta-analysis of studies on individual consumption of chlorinated drinking water and bladder cancer, **166**
- blood pressure**, Early and late growth and blood pressure in adolescence, **226**
- body mass index**, Childhood social class and adulthood obesity: findings from the Glasgow Alumni Cohort, **508**
Combination of low birth weight and high adult body mass index: at what age is it established and what are its determinants?, **969**
Relation between body mass index and mortality in an unusually slim cohort, **130**
- bottle feeding**, A superficial glance at child health, **312**
- breast feeding**, Can breast feeding modify the adverse effects of smoking during pregnancy on the child's cognitive development?, **403**
- business**, Are smoke-free policies good for business?, **159**
- business cycles**, Economics, demography, and epidemiology: an interdisciplinary glossary, **929**
- cancer**, An evolutionary paradigm for carcinogenesis?, **89**
Building health policy for healthy living in the city, **84**
Fruit, vegetables, and antioxidants in childhood and risk of adult cancer: the Boyd Orr cohort, **218**
- capture-recapture**, Estimating the lesbian population: a capture-recapture approach, **207**
- car ownership**, The historical specificity of early life car ownership as an indicator of socioeconomic position, **277**
- cardiac rehabilitation**, Continuing inequality: gender and social class influences on self perceived health after a heart attack, **622**
- carcinogenesis**, Theory in carcinogenesis and epidemiology, **85**
- cardiovascular disease**, Association of markers of systemic inflammation, C reactive protein, serum amyloid A, and fibrinogen, with socioeconomic status, **730**
Associations of height, leg length, and lung function with cardiovascular risk factors in the Midspan Family Study, **141**
Geographical variation in cardiovascular disease, risk factors, and their control in older women: British Women's Heart and Health Study, **134**
Psychosocial factors and public health: a suitable case for treatment?, **565**
- Care Need Index**, Care Need Index, a useful tool for the distribution of primary health care resources, **347**
- case definition**, Primary open angle glaucoma. The need for a consensus case definition, **752**
- case-control study**, An investigation of risk factors for symptomatic osteoarthritis of the knee in women using a life course approach, **823**

- case-crossover analysis**, Effect of short-term exposure to gaseous pollution on asthma hospitalisation in children: a bi-directional case-crossover analysis, **50**
- catch up**, Early and late growth and blood pressure in adolescence, **226**
- causality**, Determinism versus stochasticism: in support of long coffee breaks, **477**
- causation**, What characterises a useful concept of causation in epidemiology?, **86**
- cause of death**, Using ACME (Automatic Classification of Medical Entry) software to monitor and improve the quality of cause of death statistics, **470**
- cause specific**, Inequalities in survival from colorectal cancer: a comparison of the impact of deprivation, treatment, and host factors on observed and cause specific survival, **301**
- cerebrovascular accident**, Self ratings of health predict functional outcome and recurrence free survival after stroke, **960**
- cerebrovascular disease**, A matter of life and death: population mortality and football results, **429**
- cervical cancer**, Cervical screening and health inequality in England in the 1990s, **417**
- cervical screening**, Randomised controlled trial of the effect of evidence based information on women's willingness to participate in cervical cancer screening, **589**
- cervical screening uptake**, Cervical screening and health inequality in England in the 1990s, **417**
- cessation**, Intervention effects on youth tobacco use in the community intervention trial (COMMIT), **159**
- child**, A superficial glance at child health, **312**
- child labour**, Effect of work related variables on growth among working boys in Jordan, **154**
- child pedestrian injury**, How willing are parents to improve pedestrian safety in their community?, **951**
- childhood diet**, Fruit, vegetables, and antioxidants in childhood and risk of adult cancer: the Boyd Orr cohort, **218**
- childhood injury**, Association between childhood community safety interventions and hospital injury records: a multilevel study, **724**
- children**, Choosing area based socioeconomic measures to monitor social inequalities in low birth weight and childhood lead poisoning: The Public Health Disparities Geocoding Project (US), **186**
Does an increase of low income families affect child health inequalities? A Swedish case study, **584**
Play areas for children, **315**
- China**, Monitoring community responses to the SARS epidemic in Hong Kong: from day 10 to day 62, **864**
- Chinese adaptation**, Chinese SF-36 Health Survey: translation, cultural adaptation, validation, and normalisation, **259**
- chlorination**, Meta-analysis of studies on individual consumption of chlorinated drinking water and bladder cancer, **166**
- chronic disease**, Rethinking the terms non-communicable disease and chronic disease, **838**
- chronic mortality**, Life table methods for quantitative impact assessments in chronic mortality, **200**
- civil unrest**, Mental health and "the Troubles" in Northern Ireland: implications of civil unrest for health and wellbeing, **474**
- class**, Cold related mortality in England and Wales; influence of social class in working and retired age groups, **790**
- climate**, Secular trends in sex ratios at birth in North America and Europe over the second half of the 20th century, **612**
Weather, climate, and public health, **759**
- cloning**, Pseudoreplication, **479**
- coeliac disease**, Children born in the summer have increased risk for coeliac disease, **36**
- cognitive function**, Leisure activities and cognitive function in middle age: evidence from the Whitehall II study, **907**
Socioeconomic position in early life, birth weight, childhood cognitive function, and adult mortality. A longitudinal study of Danish men born in 1953, **681**
- cohort**, Combination of low birth weight and high adult body mass index: at what age is it established and what are its determinants?, **969**
Job strain, job demands, decision latitude, and risk of coronary heart disease within the Whitehall II study, **147**
- cohort studies**, Life course epidemiology, **778**
Motor vehicle driver injury and socioeconomic status: a cohort study with prospective and retrospective driver injuries, **512**
Relation between number of siblings and adult mortality and stroke risk: 25 year follow up of men in the Collaborative study, **385**
Self ratings of health predict functional outcome and recurrence free survival after stroke, **960**
Social inequalities in depressive symptoms and physical functioning in the Whitehall II study: exploring a common cause explanation, **361**
- cohort study**, Smoking reduction, smoking cessation, and incidence of fatal and non-fatal myocardial infarction in Denmark 1976–1998: a pooled cohort study, **412**
- cold**, Cold related mortality in England and Wales; influence of social class in working and retired age groups, **790**
- colorectal cancer**, Inequalities in survival from colorectal cancer: a comparison of the impact of deprivation, treatment, and host factors on observed and cause specific survival, **301**
- common mental disorders**, Contextual risk factors for the common mental disorders in Britain: a multilevel investigation of the effects of place, **616**
- community development**, Severe acute respiratory syndrome: a challenge for public health practice in Hong Kong, **655**
- community health**, Joint effects of social class and community occupational structure on coronary mortality among black men and white men, upstate New York, 1988–92, **373**
- community intervention**, Association between childhood community safety interventions and hospital injury records: a multilevel study, **724**
- community intervention trial**, Intervention effects on youth tobacco use in the community intervention trial (COMMIT), **159**
- community mobilisation**, How willing are parents to improve pedestrian safety in their community?, **951**
- community response**, Monitoring community responses to the SARS epidemic in Hong Kong: from day 10 to day 62, **864**
- community survey**, Effects of disseminating research findings on response rates in a community survey: a randomised controlled trial, **536**
- concentration index**, Income related inequalities in self assessed health in Britain: 1979–1995, **125**
- concepts**, Basic molecular genetics for epidemiologists, **398**
- conflict**, About George W Bush's Iraq war, **432**
Health, equity, human rights, and the invasion of Iraq, **593**
Iraq: time to focus our response, **395**
- conflict of interest**, Chasing Ernst L Wynder: 40 years of Philip Morris' efforts to influence a leading scientist, **571**
Chasing the dollar: why scientists should decline tobacco industry funding, **546**
Hazardous effects of tobacco industry funding, **548**
- confounding**, Psychosocial factors and public health: a suitable case for treatment?, **565**
- congenital abnormalities**, Water fluoridation, stillbirths, and congenital abnormalities, **499**
- congenital anomaly**, Adverse pregnancy outcomes around incinerators and crematoriums in Cumbria, north west England, 1956–93, **456**
- consultation**, Previous consultation and self reported health status as predictors of future demand for primary care, **109**
- context**, Contextual risk factors for the common mental disorders in Britain: a multilevel investigation of the effects of place, **616**
- contextual effects**, A different kind of contextual effect: geographical clustering of cocaine incidence in the USA, **893**
- coronary heart disease**, A matter of life and death: population mortality and football results, **429**
An adaptation of the Framingham coronary heart disease risk function to European Mediterranean areas, **634**
Job strain, job demands, decision latitude, and risk of coronary heart disease within the Whitehall II study, **147**
Joint effects of social class and community occupational structure on coronary mortality among black men and white men, upstate New York, 1988–92, **373**
Missing, mediocre, or merely obsolete? An evaluation of UK data sources for coronary heart disease, **530**
Substantial potential for reductions in coronary heart disease mortality in the UK through changes in risk factor levels, **243**
Who decides when to start preventive treatment? A questionnaire survey to compare the views of different population subgroups, **241**
- coronary operations**, How did the recent increase in the supply of coronary operations in Finland affect socioeconomic and gender equity in their use?, **178**

- cost of illness**, Incidence and costs of unintentional falls in older people in the United Kingdom, **740**
- country of birth**, Impact of country of birth on hospital admission for women of childbearing age in Sweden: a five year follow up study, **877**
- crematoriums**, Adverse pregnancy outcomes around incinerators and crematoriums in Cumbria, north west England, 1956–93, **456**
- critical periods**, Life course epidemiology, **778**
- Crohn's disease**, Crohn's disease, ulcerative colitis, and measles vaccine in an English population, 1979–1998, **883**
- cross country analysis**, Excess winter mortality in Europe: a cross country analysis identifying key risk factors, **784**
- cross sectional**, Effects of income and wealth on GHQ depression and poor self rated health in white collar women and men in the Whitehall II study, **718**
- cross sectional study**, The impact of community psychological responses on outbreak control for severe acute respiratory syndrome in Hong Kong, **857**
- cross sectional survey**, Cross sectional survey of perpetrators, victims, and witnesses of violence in Bogotá, Colombia, **355**
- death certification**, Using ACME (Automatic Classification of Medical Entry) software to monitor and improve the quality of cause of death statistics, **470**
- decision latitude**, Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort, **285**
- definitions**, Basic glossary on genetic epidemiology, **480**
Basic molecular genetics for epidemiologists, **398**
- demand**, Nemesis, Sisyphus and a contribution from the medical humanities to health research, **926**
- demography**, Economics, demography, and epidemiology: an interdisciplinary glossary, **929**
- depression**, Social inequalities in depressive symptoms and physical functioning in the Whitehall II study: exploring a common cause explanation, **361**
- deprivation**, Bicycle helmet campaigns and head injuries among children. Does poverty matter?, **668**
Cold related mortality in England and Wales; influence of social class in working and retired age groups, **790**
Inequalities in survival from colorectal cancer: a comparison of the impact of deprivation, treatment, and host factors on observed and cause specific survival, **301**
Smoking cessation services are reducing inequalities, **579**
- diagnosis**, Using ACME (Automatic Classification of Medical Entry) software to monitor and improve the quality of cause of death statistics, **470**
- dietary surveys**, Comparative analysis of nutrition data from national, household, and individual levels: results from a WHO-CINDI collaborative project in Canada, Finland, Poland, and Spain, **74**
- directly observed therapy**, DOT for all patients with smear-positive pulmonary TB in London?, **231**
- disability adjusted life expectancy**, Infant mortality rate as an indicator of population health, **344**
- disaster planning**, Acute psychological effects of suspected bioterrorism, **353**
- divorce**, Divorce and suicide risk, **993**
- doctor-patient relationship**, Whose health is it anyway?: enabling participation, **762**
- drinking water**, Nitrate in community water supplies and incidence of non-Hodgkin's lymphoma in Sardinia, Italy, **510**
- drug misuse**, Retrospective cohort study examining incidence of HIV and hepatitis C infection among injecting drug users in Dublin, **310**
- early life**, Temperament in young adulthood and later mortality: prospective observational study, **888**
- ecological study**, Sporadic cases of community acquired legionnaires' disease: an ecological study to identify new sources of contamination, **466**
- economic history**, Economics, demography, and epidemiology: an interdisciplinary glossary, **929**
- economics**, Economics, demography, and epidemiology: an interdisciplinary glossary, **929**
Incidence and costs of unintentional falls in older people in the United Kingdom, **740**
- education**, A comprehensive "Healthy Schools Programme" to promote school health: the Hong Kong experience in joining the efforts of health and education sectors, **174**
Can breast feeding modify the adverse effects of smoking during pregnancy on the child's cognitive development?, **403**
Educational level as a contextual and proximate determinant of all cause mortality in Danish adults, **266**
Income and health behaviours. Evidence from monitoring surveys among Finnish adults, **711**
Residential area deprivation predicts smoking habit independently of individual educational level and occupational social class. A cross sectional study in the Norfolk cohort of the European Investigation into Cancer (EPIC-Norfolk), **270**
- elderly population**, Elderly people and the public health service: a much desirable marriage, **525**
Promotion of health and physical activity improves the mental health of elderly immigrants: results of a group randomised controlled trial among Turkish immigrants in the Netherlands aged 45 and over, **405**
- elimination**, Global leprosy elimination: time to change more than the elimination target date, **316**
- employee health**, Work and health in a contemporary society: demands, control, and insecurity, **849**
- employment**, Long term outcome after poliomyelitis in different health and social conditions, **368**
- empowerment**, Iraqi reconstruction: for an empowerment process, **760**
- environment**, Differential correlates of physical activity in urban and rural adults of various socioeconomic backgrounds in the United States, **29**
Environmental influences on healthcare expenditures: an exploratory analysis from Ontario, Canada, **334**
Nitrate in community water supplies and incidence of non-Hodgkin's lymphoma in Sardinia, Italy, **510**
- environmental impact assessment**, Assessing health impact assessment: multidisciplinary and international perspectives, **659**
- epidemiological modelling**, Substantial potential for reductions in coronary heart disease mortality in the UK through changes in risk factor levels, **243**
- equity**, Community income and surgical rates in the Netherlands, **519**
Defining equity in health, **254**
Health, equity, human rights, and the invasion of Iraq, **593**
How did the recent increase in the supply of coronary operations in Finland affect socioeconomic and gender equity in their use?, **178**
Response to requests for general practice out of hours: geographical analysis in north west England, **673**
- ethics**, Chasing the dollar: why scientists should decline tobacco industry funding, **546**
Objectivity and the neutral expert, **3**
Science, ethics, and professional public health practice, **4**
Self care and consumer health. Do we need a public health ethics?, **5**
- ethnic groups**, Influence of individual and neighbourhood socioeconomic status on mortality among black, Mexican-American, and white women and men in the United States, **444**
- ethnicity**, Promotion of health and physical activity improves the mental health of elderly immigrants: results of a group randomised controlled trial among Turkish immigrants in the Netherlands aged 45 and over, **405**
- Europe**, Public health in the new European Union research programme, **236**
- evaluation**, Association between childhood community safety interventions and hospital injury records: a multilevel study, **724**
Evidence, hierarchies, and typologies: horses for courses, **527**
- evidence based**, Evidence based health promotion: recollections, reflections, and reconsiderations, **841**
- evidence based knowledge**, The urge for evidence based knowledge, **482**
- evidence based medicine**, Whose health is it anyway?: enabling participation, **762**
- evidence based policy**, Evidence, hierarchies, and typologies: horses for courses, **527**
The unbearable lightness of healthcare policy making: a description of a process aimed at giving it some weight, **483**
- excess winter mortality**, Excess winter mortality in Europe: a cross country analysis identifying key risk factors, **784**

- exercise**, Differential correlates of physical activity in urban and rural adults of various socioeconomic backgrounds in the United States, **29**
- family welfare status**, Infant mortality and family welfare: policy implications for Indonesia, **493**
- firearms**, Lethality of firearms relative to other suicide methods: a population based study, **120**
Mental health and “the Troubles” in Northern Ireland: implications of civil unrest for health and wellbeing, **474**
- fluoridation**, Water fluoridation, stillbirths, and congenital abnormalities, **499**
- football results**, A matter of life and death: population mortality and football results, **429**
- Forsdahl-Barker hypothesis**, Impact of childhood and adulthood socioeconomic position on cause specific mortality: the Oslo Mortality Study, **40**
- fruit**, Fruit, vegetables, and antioxidants in childhood and risk of adult cancer: the Boyd Orr cohort, **218**
- fuel poverty**, Excess winter mortality in Europe: a cross country analysis identifying key risk factors, **784**
- funding**, Chasing the dollar: why scientists should decline tobacco industry funding, **546**
- gallery**, The right water and the right to water, **455**
- gaseous pollution**, Effect of short-term exposure to gaseous pollution on asthma hospitalisation in children: a bi-directional case-crossover analysis, **50**
- gastrointestinal disease**, Social deprivation and the public health risks of community drinking water supplies in New Zealand, **581**
- GAZEL cohort**, Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort, **285**
- gender**, Cold related mortality in England and Wales; influence of social class in working and retired age groups, **790**
Gender differences in education related health inequalities in Chinese northern rural areas: 1993 and 2001, **506**
Gender differences in socioeconomic inequality in mortality, **974**
Geographical variation in cardiovascular disease, risk factors, and their control in older women: British Women’s Heart and Health Study, **134**
Socioeconomic position, occupational exposures, and gender: the relation with locomotor disability in early old age, **453**
- gender differences**, Social capital in a changing society: cross sectional associations with middle aged female and male mortality rates, **114**
- general practice**, Previous consultation and self reported health status as predictors of future demand for primary care, **109**
- generalised additive model**, Mortality and temperature in Sofia and London, **628**
- genetics**, Advanced glossary on genetic epidemiology, **562**
Association between offspring birth weight and atherosclerosis in middle aged men and women: British Regional Heart Study, **462**
Basic glossary on genetic epidemiology, **480**
Basic molecular genetics for epidemiologists, **398**
Pseudoreplication, **479**
- geocoding and geographic information science (GIS)**, Choosing area based socioeconomic measures to monitor social inequalities in low birth weight and childhood lead poisoning: The Public Health Disparities Geocoding Project (US), **186**
- geographical analysis**, Response to requests for general practice out of hours: geographical analysis in north west England, **673**
- George W Bush**, About George W Bush’s Iraq war, **432**
- GHQ-12**, Mental health and “the Troubles” in Northern Ireland: implications of civil unrest for health and wellbeing, **474**
- GIS**, Social deprivation and the public health risks of community drinking water supplies in New Zealand, **581**
- glaucoma**, Primary open angle glaucoma. The need for a consensus case definition, **752**
- glossary**, A glossary for health impact assessment, **647**
A glossary for research in occupational health, **7**
Advanced glossary on genetic epidemiology, **562**
Economics, demography, and epidemiology: an interdisciplinary glossary, **929**
Public health history, **164**
Social capital, **320**
- green spaces**, Health benefits of green spaces not confirmed, **312**
- growth**, Early and late growth and blood pressure in adolescence, **226**
Effect of work related variables on growth among working boys in Jordan, **154**
- health**, Effects of income and wealth on GHQ depression and poor self rated health in white collar women and men in the Whitehall II study, **718**
Nemesis, Sisyphus and a contribution from the medical humanities to health research, **926**
- health behaviours**, Income and health behaviours. Evidence from monitoring surveys among Finnish adults, **711**
- health care**, Nemesis, Sisyphus and a contribution from the medical humanities to health research, **926**
- health economics**, A master of public health must be the minimum prerequisite for a health minister: a timely proposal to discuss the necessary qualifications of the ideal health minister, **755**
- health impact assessment**, A glossary for health impact assessment, **647**
Assessing health impact assessment: multidisciplinary and international perspectives, **659**
Assessing the health impact of local amenities: a qualitative study of contrasting experiences of local swimming pool and leisure provision in two areas of Glasgow, **663**
Health impact assessment of housing improvements: incorporating research evidence, **11**
Life table methods for quantitative impact assessments in chronic mortality, **200**
- health inequalities**, Occupational mobility and risk factors in working men: selection, causality or both? Results from the GAZEL study, **901**
Tackling inequalities in health: the need for building a systematic evidence base, **162**
- health inequality**, Cervical screening and health inequality in England in the 1990s, **417**
Gender differences in socioeconomic inequality in mortality, **974**
Income related inequalities in self assessed health in Britain: 1979–1995, **125**
Psychosocial factors and public health: a suitable case for treatment?, **565**
Socioeconomic health inequalities among a nationally representative sample of Danish adolescents: the role of different types of social relations, **692**
- health information**, What is a public health observatory?, **324**
- health policy**, A master of public health must be the minimum prerequisite for a health minister: a timely proposal to discuss the necessary qualifications of the ideal health minister, **755**
Arts for health: still searching for the Holy Grail, **401**
Assessing health impact assessment: multidisciplinary and international perspectives, **659**
- health promoting schools**, A comprehensive “Healthy Schools Programme” to promote school health: the Hong Kong experience in joining the efforts of health and education sectors, **174**
- health promotion**, Evidence based health promotion: recollections, reflections, and reconsiderations, **841**
Promotion of health and physical activity improves the mental health of elderly immigrants: results of a group randomised controlled trial among Turkish immigrants in the Netherlands aged 45 and over, **405**
Tai Po Shun Tak Wong Kin Sheung Memorial School AM, Hong Kong, **950**
- health services accessibility**, Socioeconomic disparities in health care use: Does universal coverage reduce inequalities in health?, **424**
- health status**, Continuing inequality: gender and social class influences on self perceived health after a heart attack, **622**
Health status of users of hormone replacement therapy by hysterectomy status in Western Australia, **294**
Retest reliability of surveillance questions on health related quality of life, **339**
- health status indicators**, Self ratings of health predict functional outcome and recurrence free survival after stroke, **960**
- health surveys**, Differential correlates of physical activity in urban and rural adults of various socioeconomic backgrounds in the United States, **29**
- health transition**, Epidemiology of hypertension and associated cardiovascular risk factors in a country in transition: a population based survey in Tirana City, Albania, **734**
- healthcare expenditures**, Environmental influences on healthcare expenditures: an exploratory analysis from Ontario, Canada, **334**
- healthy cities**, Tai Po Shun Tak Wong Kin Sheung Memorial School AM, Hong Kong, **950**

- healthy life expectancy**, Infant mortality is not an adequate summary measure of population health, **319**
- The relevance of population health indicators, **318**
- healthy schools**, A comprehensive "Healthy Schools Programme" to promote school health: the Hong Kong experience in joining the efforts of health and education sectors, **174**
- Tai Po Shun Tak Wong Kin Sheung Memorial School AM, Hong Kong, **950**
- height**, Associations of height, leg length, and lung function with cardiovascular risk factors in the Midspan Family Study, **141**
- Combination of low birth weight and high adult body mass index: at what age is it established and what are its determinants?, **969**
- hepatitis C**, Retrospective cohort study examining incidence of HIV and hepatitis C infection among injecting drug users in Dublin, **310**
- hip osteoarthritis**, Shoes and lower limb osteoarthritis, **763**
- history**, Hazardous effects of tobacco industry funding, **548**
- Public health history, **164**
- HIV**, Retrospective cohort study examining incidence of HIV and hepatitis C infection among injecting drug users in Dublin, **310**
- homelessness**, Room for one homeless person, **163**
- Hong Kong**, The impact of community psychological responses on outbreak control for severe acute respiratory syndrome in Hong Kong, **857**
- The SARS epidemic in Hong Kong, **652**
- Hong Kong Special Administrative Region**, Monitoring the severe acute respiratory syndrome epidemic and assessing effectiveness of interventions in Hong Kong Special Administrative Region, **766**
- hormone replacement therapy**, Health status of users of hormone replacement therapy by hysterectomy status in Western Australia, **294**
- hospital admission**, Impact of country of birth on hospital admission for women of childbearing age in Sweden: a five year follow up study, **877**
- hospital discharge**, What underlies the high alcohol related mortality of the disadvantaged: high morbidity or poor survival?, **981**
- household**, Social inequalities in health by individual and household measures of social position in a cohort of healthy people, **56**
- housing**, Excess winter mortality in Europe: a cross country analysis identifying key risk factors, **784**
- Health impact assessment of housing improvements: incorporating research evidence, **11**
- Room for one homeless person, **163**
- human rights**, Assessing health impact assessment: multidisciplinary and international perspectives, **659**
- Health, equity, human rights, and the invasion of Iraq, **593**
- humanitarian**, Iraqi reconstruction: for an empowerment process, **760**
- humanitarian aid**, Iraq: time to focus our response, **395**
- hypertension**, Epidemiology of hypertension and associated cardiovascular risk factors in a country in transition: a population based survey in Tirana City, Albania, **734**
- Measuring the habitat as an indicator of socioeconomic position: methodology and its association with hypertension, **248**
- hysterectomy**, Health status of users of hormone replacement therapy by hysterectomy status in Western Australia, **294**
- iatrogenesis**, Limits to medicine. Medical nemesis: the expropriation of health, **928**
- In this issue**, A winter miscellany of cycling, sport, social capital, and epidemiology, **80**
- "All professions are conspiracies against the laity" (George Bernard Shaw), **161**
- incidence**, An adaptation of the Framingham coronary heart disease risk function to European Mediterranean areas, **634**
- Global leprosy elimination: time to change more than the elimination target date, **316**
- incinerators**, Adverse pregnancy outcomes around incinerators and crematoriums in Cumbria, north west England, 1956–93, **456**
- income**, Community income and surgical rates in the Netherlands, **519**
- Does an increase of low income families affect child health inequalities? A Swedish case study, **584**
- Effects of income and wealth on GHQ depression and poor self rated health in white collar women and men in the Whitehall II study, **718**
- Income and health behaviours. Evidence from monitoring surveys among Finnish adults, **711**
- income inequality**, Income inequality and health: multilevel analysis of Chilean communities, **844**
- Income related inequalities in self assessed health in Britain: 1979–1995, **125**
- No association of income inequality with adult mortality within New Zealand: a multi-level study of 1.4 million 25–64 year olds, **279**
- independence**, Iraqi reconstruction: for an empowerment process, **760**
- industrial exposure**, Sporadic cases of community acquired legionnaires' disease: an ecological study to identify new sources of contamination, **466**
- inequalities**, Smoking cessation services are reducing inequalities, **579**
- Social inequalities in low birth weight in England and Wales: trends and implications for future population health, **687**
- inequality**, Gender differences in education related health inequalities in Chinese northern rural areas: 1993 and 2001, **506**
- infant mortality**, Infant mortality is not an adequate summary measure of population health, **319**
- The relevance of population health indicators, **318**
- infant mortality rate**, Infant mortality and family welfare: policy implications for Indonesia, **493**
- Infant mortality rate as an indicator of population health, **344**
- infection control**, Behind the mask. Journey through an epidemic: some observations of contrasting public health responses to SARS, **855**
- infectious disease**, A simple approximate mathematical model to predict the number of severe acute respiratory syndrome cases and deaths, **831**
- infectious disease control**, The SARS epidemic in Hong Kong, **652**
- infectious diseases**, How would schools step up public health measures to control spread of SARS?, **945**
- Science, policy, politics, a complex and unequal world and the emerging of a new infectious disease, **644**
- inflammation**, Association of markers of systemic inflammation, C reactive protein, serum amyloid A, and fibrinogen, with socioeconomic status, **730**
- information**, Missing, mediocre, or merely obsolete? An evaluation of UK data sources for coronary heart disease, **530**
- informed choice**, Randomised controlled trial of the effect of evidence based information on women's willingness to participate in cervical cancer screening, **589**
- injuries**, Community level risk factors for numbers of landmine victims in Chad and Thailand, **956**
- intelligence**, Occupational level of the father and alcohol consumption during adolescence: patterns and predictors, **704**
- internet**, Collecting behavioural data using the world wide web: considerations for researchers, **68**
- interventions**, Monitoring the severe acute respiratory syndrome epidemic and assessing effectiveness of interventions in Hong Kong Special Administrative Region, **766**
- inverse care law**, Room for one homeless person, **163**
- Iraq**, Health, equity, human rights, and the invasion of Iraq, **593**
- Iraq: time to focus our response, **395**
- Iraqi reconstruction: for an empowerment process, **760**
- Ivan Illich**, Ivan Illich, **923**
- Ivan Illich and medical nemesis, **927**
- Ivan Illich: he lived his own testimony, **925**
- Limits to medicine. Medical nemesis: the expropriation of health, **928**
- Medical nemesis, **919**
- Nemesis, Sisyphus and a contribution from the medical humanities to health research, **926**
- Type I and type II errors exist in public practice too, **918**
- job insecurity**, Work and health in a contemporary society: demands, control, and insecurity, **849**
- job strain**, Job strain, job demands, decision latitude, and risk of coronary heart disease within the Whitehall II study, **147**
- Work and health in a contemporary society: demands, control, and insecurity, **849**
- knee**, An investigation of risk factors for symptomatic osteoarthritis of the knee in women using a life course approach, **823**
- knee osteoarthritis**, Shoes and lower limb osteoarthritis, **763**
- landmines**, Community level risk factors for numbers of landmine victims in Chad and Thailand, **956**
- Landmine related injuries in children of Bosnia and Herzegovina 1991–2000: comparisons with adults, **264**
- lay reports**, Assessing the health impact of local amenities: a qualitative study of contrasting experiences of local swimming pool and leisure provision in two areas of Glasgow, **663**

- leg length**, Associations of height, leg length, and lung function with cardiovascular risk factors in the Midspan Family Study, **141**
- legionnaires' disease**, Sporadic cases of community acquired legionnaires' disease: an ecological study to identify new sources of contamination, **466**
Towards legionnaires' disease control: epidemiological or environmental surveillance?, **396**
- leisure activities**, Leisure activities and cognitive function in middle age: evidence from the Whitehall II study, **907**
- leprosy**, Global leprosy elimination: time to change more than the elimination target date, **316**
- lesbian health**, Estimating the lesbian population: a capture-recapture approach, **207**
- life course**, Childhood social class and adulthood obesity: findings from the Glasgow Alumni Cohort, **508**
Fruit, vegetables, and antioxidants in childhood and risk of adult cancer: the Boyd Orr cohort, **218**
Life course epidemiology, **778**
Socioeconomic status over the life course and stages of cigarette use: initiation, regular use, and cessation, **802**
- life table calculations**, Life table methods for quantitative impact assessments in chronic mortality, **200**
- lifecourse**, Cumulative social class and mortality from various causes of adult men, **745**
- lifestyle**, Socioeconomic differences in attitudes and beliefs about healthy lifestyles, **440**
- locomotor disability**, Socioeconomic position, occupational exposures, and gender: the relation with locomotor disability in early old age, **453**
- longitudinal study**, Building health policy for healthy living in the city, **84**
Socioeconomic position in early life, birth weight, childhood cognitive function, and adult mortality. A longitudinal study of Danish men born in 1953, **681**
- low back pain**, Physical inactivity: a risk factor for low back pain in the general population?, **517**
- lung function**, Associations of height, leg length, and lung function with cardiovascular risk factors in the Midspan Family Study, **141**
- male ratio at birth**, Sex ratio at birth among Chinese babies born in Italy is lower than in China, **967**
- malnutrition**, The Argentinean paradox: the case of contradictory child malnutrition epidemics, **83**
- mass gatherings**, Watching the Games: public health surveillance for the Sydney 2000 Olympic Games, **102**
- master of public health**, A master of public health must be the minimum prerequisite for a health minister: a timely proposal to discuss the necessary qualifications of the ideal health minister, **755**
- maternal smoking**, Can breast feeding modify the adverse effects of smoking during pregnancy on the child's cognitive development?, **403**
- measles vaccine**, Crohn's disease, ulcerative colitis, and measles vaccine in an English population, 1979–1998, **883**
- media**, Media coverage as a risk factor in suicide, **238**
- medical humanities**, Nemesis, Sisyphus and a contribution from the medical humanities to health research, **926**
- medicalisation**, Limits to medicine. Medical nemesis: the expropriation of health, **928**
- mental ability**, Childhood mental ability and smoking cessation in adulthood: prospective observational study linking the Scottish Mental Survey 1932 and the Midspan studies, **464**
- mental health**, Education and income: which is more important for mental health?, **501**
Mental health in Northern Ireland: have "the Troubles" made it worse?, **488**
Work and health in a contemporary society: demands, control, and insecurity, **849**
- meta-analysis**, Meta-analysis of studies on individual consumption of chlorinated drinking water and bladder cancer, **166**
- Mexican American**, Neighbourhood composition and depressive symptoms among older Mexican Americans, **987**
- middle age**, Leisure activities and cognitive function in middle age: evidence from the Whitehall II study, **907**
- middle aged mortality**, Social capital in a changing society: cross sectional associations with middle aged female and male mortality rates, **114**
- minister of health**, A master of public health must be the minimum prerequisite for a health minister: a timely proposal to discuss the necessary qualifications of the ideal health minister, **755**
- mobility**, Central and total obesity in middle aged men and women in relation to lifetime socioeconomic status: evidence from a national birth cohort, **816**
- modelling**, A simple approximate mathematical model to predict the number of severe acute respiratory syndrome cases and deaths, **831**
- molecular**, Basic molecular genetics for epidemiologists, **398**
- mortality**, Cold related mortality in England and Wales; influence of social class in working and retired age groups, **790**
Cumulative social class and mortality from various causes of adult men, **745**
Does an increase of low income families affect child health inequalities? A Swedish case study, **584**
Educational level as a contextual and proximate determinant of all cause mortality in Danish adults, **266**
Effects of the characteristics of neighbourhoods and the characteristics of people on cause specific mortality: a register based follow up study of 252 000 men, **210**
Gender differences in socioeconomic inequality in mortality, **974**
Impact of childhood and adulthood socioeconomic position on cause specific mortality: the Oslo Mortality Study, **40**
Increased mortality related to heavy alcohol intake pattern, **379**
Influence of individual and neighbourhood socioeconomic status of mortality among black, Mexican-American, and white women and men in the United States, **444**
No association of income inequality with adult mortality within New Zealand: a multi-level study of 1.4 million 25–64 year olds, **279**
Relation between body mass index and mortality in an unusually slim cohort, **130**
Relation between number of siblings and adult mortality and stroke risk: 25 year follow up of men in the Collaborative study, **385**
Self ratings of health predict functional outcome and recurrence free survival after stroke, **960**
Socioeconomic disparities in health care use: Does universal coverage reduce inequalities in health?, **424**
Socioeconomic position in early life, birth weight, childhood cognitive function, and adult mortality. A longitudinal study of Danish men born in 1953, **681**
Temperament in young adulthood and later mortality: prospective observational study, **888**
Using ACME (Automatic Classification of Medical Entry) software to monitor and improve the quality of cause of death statistics, **470**
What underlies the high alcohol related mortality of the disadvantaged: high morbidity or poor survival?, **981**
- mosquito borne diseases**, Perceptions of mosquito borne diseases, **392**
- multilevel**, Preterm birth among African American and white women: a multilevel analysis of socioeconomic characteristics and cigarette smoking, **606**
- multilevel analysis**, A different kind of contextual effect: geographical clustering of cocaine incidence in the USA, **893**
Multilevel analytical approaches in social epidemiology: measures of health variation compared with traditional measures of association, **550**
Social capital and leisure time physical activity: a population based multilevel analysis in Malmö, Sweden, **23**
- multilevel modelling**, Contextual risk factors for the common mental disorders in Britain: a multilevel investigation of the effects of place, **616**
- multilevel models**, Social inequalities in health by individual and household measures of social position in a cohort of healthy people, **56**
- multilevel regression**, Neighbourhood socioeconomic disadvantage and behavioural problems from late childhood into early adolescence, **699**
- multilevel study**, Association between childhood community safety interventions and hospital injury records: a multilevel study, **724**
Educational level as a contextual and proximate determinant of all cause mortality in Danish adults, **266**
- multi-level study**, No association of income inequality with adult mortality within New Zealand: a multi-level study of 1.4 million 25–64 year olds, **279**
- myocardial infarction**, Smoking reduction, smoking cessation, and incidence of fatal and non-fatal myocardial infarction in Denmark 1976–1998: a pooled cohort study, **412**

- neighbourhood**, Care Need Index, a useful tool for the distribution of primary health care resources, **347**
- Effects of the characteristics of neighbourhoods and the characteristics of people on cause specific mortality: a register based follow up study of 252 000 men, **210**
- Neighbourhood composition and depressive symptoms among older Mexican Americans, **987**
- Preterm birth among African American and white women: a multilevel analysis of socioeconomic characteristics and cigarette smoking, **606**
- neighbourhood amenities**, Assessing the health impact of local amenities: a qualitative study of contrasting experiences of local swimming pool and leisure provision in two areas of Glasgow, **663**
- neighbourhood deprivation**, Multilevel analytical approaches in social epidemiology: measures of health variation compared with traditional measures of association, **550**
- neighbourhood disadvantage**, Neighbourhood socioeconomic disadvantage and behavioural problems from late childhood into early adolescence, **699**
- neonatal death**, Adverse pregnancy outcomes around incinerators and crematoriums in Cumbria, north west England, 1956–93, **456**
- neurocysticercosis**, Neurocysticercosis: households, pigs, and risks, **570**
- nitrate**, Nitrate in community water supplies and incidence of non-Hodgkin's lymphoma in Sardinia, Italy, **510**
- non-communicable disease**, Rethinking the terms non-communicable disease and chronic disease, **838**
- non-Hodgkin's lymphoma**, Nitrate in community water supplies and incidence of non-Hodgkin's lymphoma in Sardinia, Italy, **510**
- Northern Ireland**, Mental health and "the Troubles" in Northern Ireland: implications of civil unrest for health and wellbeing, **474**
- Mental health in Northern Ireland: have "the Troubles" made it worse?, **488**
- nutrition monitoring**, Comparative analysis of nutrition data from national, household, and individual levels: results from a WHO-CINDI collaborative project in Canada, Finland, Poland, and Spain, **74**
- obesity**, Central and total obesity in middle aged men and women in relation to lifetime socioeconomic status: evidence from a national birth cohort, **816**
- Childhood social class and adulthood obesity: findings from the Glasgow Alumni Cohort, **508**
- Play areas for children, **315**
- observatory**, What is a public health observatory?, **324**
- occupational exposures**, Socioeconomic position, occupational exposures, and gender: the relation with locomotor disability in early old age, **453**
- occupational health**, A glossary for research in occupational health, **7**
- Alice Hamilton, MD: gaining visibility for industrial medicine, **791**
- occupational mobility**, Occupational mobility and risk factors in working men: selection, causality or both? Results from the GAZEL study, **901**
- occupational status**, Occupational level of the father and alcohol consumption during adolescence: patterns and predictors, **704**
- Olympic Games**, Watching the Games: public health surveillance for the Sydney 2000 Olympic Games, **102**
- osteoarthritis**, An investigation of risk factors for symptomatic osteoarthritis of the knee in women using a life course approach, **823**
- outbreak**, Monitoring community responses to the SARS epidemic in Hong Kong: from day 10 to day 62, **864**
- patient preferences**, Who decides when to start preventive treatment? A questionnaire survey to compare the views of different population subgroups, **241**
- peer review**, Why are women underused in the JECH peer review process?, **936**
- perinatal health**, Register based monitoring shows decreasing socioeconomic differences in Finnish perinatal health, **433**
- personal habits**, Occupational mobility and risk factors in working men: selection, causality or both? Results from the GAZEL study, **901**
- physical activity**, Differential correlates of physical activity in urban and rural adults of various socioeconomic backgrounds in the United States, **29**
- Physical inactivity: a risk factor for low back pain in the general population?, **517**
- Promotion of health and physical activity improves the mental health of elderly immigrants: results of a group randomised controlled trial among Turkish immigrants in the Netherlands aged 45 and over, **405**
- Social capital and leisure time physical activity: a population based multilevel analysis in Malmö, Sweden, **23**
- The challenges of evaluating environmental interventions to increase population levels of physical activity: the case of the UK National Cycle Network, **96**
- physical health**, Work and health in a contemporary society: demands, control, and insecurity, **849**
- Picasso**, 100 years of Poverty, **839**
- play areas**, Play areas for children, **315**
- point prevalence**, Global leprosy elimination: time to change more than the elimination target date, **316**
- Poisson modelling**, Sporadic cases of community acquired legionnaires' disease: an ecological study to identify new sources of contamination, **466**
- policy**, Public health in the new European Union research programme, **236**
- polio**, Long term outcome after poliomyelitis in different health and social conditions, **368**
- population health**, Infant mortality rate as an indicator of population health, **344**
- The challenges of evaluating environmental interventions to increase population levels of physical activity: the case of the UK National Cycle Network, **96**
- population health indicators**, Infant mortality is not an adequate summary measure of population health, **319**
- The relevance of population health indicators, **318**
- population surveillance**, Retest reliability of surveillance questions on health related quality of life, **339**
- post-traumatic stress disorder**, Women brothel workers and occupational health risks, **809**
- poverty**, 100 years of Poverty, **839**
- prediction**, A simple approximate mathematical model to predict the number of severe acute respiratory syndrome cases and deaths, **831**
- pregnancy**, Women's life cycle and abortion decision in unintended pregnancies, **601**
- preterm**, Preterm birth among African American and white women: a multilevel analysis of socioeconomic characteristics and cigarette smoking, **606**
- prevention**, Prevention of smoking in adolescents with lower education: a school based intervention study, **675**
- Tai Po Shun Tak Wong Kin Sheung Memorial School AM, Hong Kong, **950**
- Who decides when to start preventive treatment? A questionnaire survey to compare the views of different population subgroups, **241**
- preventive measures**, Monitoring the severe acute respiratory syndrome epidemic and assessing effectiveness of interventions in Hong Kong Special Administrative Region, **766**
- preventive medicine**, Cervical screening and health inequality in England in the 1990s, **417**
- primary care**, Response to requests for general practice out of hours: geographical analysis in north west England, **673**
- primary care quality**, Avoidable hospitalisation rates in Singapore, 1991–1998: assessing trends and inequities of quality in primary care, **17**
- primary health care**, Care Need Index, a useful tool for the distribution of primary health care resources, **347**
- privatisation**, A winter miscellany of cycling, sport, social capital, and epidemiology, **80**
- programme evaluation**, Bicycle helmet campaigns and head injuries among children. Does poverty matter?, **668**
- prospective cohort study**, Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort, **285**
- prospective study**, Temperament in young adulthood and later mortality: prospective observational study, **888**
- prostitution**, Women brothel workers and occupational health risks, **809**
- pseudoreplication**, Pseudoreplication, **479**
- psychological stress**, Acute psychological effects of suspected bioterrorism, **353**
- psychometrics**, Retest reliability of surveillance questions on health related quality of life, **339**
- psychosocial epidemiology**, Psychosocial factors and public health: a suitable case for treatment?, **565**
- psychosocial factors**, Psychosocial factors and public health, **553**

- psychosocial work factors**, Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort, **285**
- public health**, A master of public health must be the minimum prerequisite for a health minister: a timely proposal to discuss the necessary qualifications of the ideal health minister, **755**
The caterpillar and the butterfly: public health in Spain, **235**
Weather, climate, and public health, **759**
- public health surveillance**, Choosing area based socioeconomic measures to monitor social inequalities in low birth weight and childhood lead poisoning: The Public Health Disparities Geocoding Project (US), **186**
- public participation**, Whose health is it anyway?: enabling participation, **762**
- public perception**, Behind the mask. Journey through an epidemic: some observations of contrasting public health responses to SARS, **855**
- pubs**, Are smoke-free policies good for business?, **159**
- quality of life**, Chinese SF-36 Health Survey: translation, cultural adaptation, validation, and normalisation, **259**
Retest reliability of surveillance questions on health related quality of life, **339**
Self ratings of health predict functional outcome and recurrence free survival after stroke, **960**
- questionnaire**, Effects of disseminating research findings on response rates in a community survey: a randomised controlled trial, **536**
- race**, Preterm birth among African American and white women: a multilevel analysis of socioeconomic characteristics and cigarette smoking, **606**
- randomised controlled trial**, Effects of disseminating research findings on response rates in a community survey: a randomised controlled trial, **536**
Promotion of health and physical activity improves the mental health of elderly immigrants: results of a group randomised controlled trial among Turkish immigrants in the Netherlands aged 45 and over, **405**
Randomised controlled trial of the effect of evidence based information on women's willingness to participate in cervical cancer screening, **589**
- rationing**, Elderly people and the public health service: a much desirable marriage, **525**
- reciprocity**, Social capital in a changing society: cross sectional associations with middle aged female and male mortality rates, **114**
- record linkage**, Unemployment and suicide Evidence for a causal association?, **594**
- referees**, Why are women underused in the *JECH* peer review process?, **936**
- registries**, Self ratings of health predict functional outcome and recurrence free survival after stroke, **960**
- rehabilitation**, Long term outcome after poliomyelitis in different health and social conditions, **368**
- renal replacement therapy**, Socioeconomic deprivation, travel distance, and renal replacement therapy in the Trent Region, United Kingdom 2000: an ecological study, **523**
- research ethics**, Hazardous effects of tobacco industry funding, **548**
- research programme**, Public health in the new European Union research programme, **236**
- research support**, Chasing Ernst L Wynder: 40 years of Philip Morris' efforts to influence a leading scientist, **571**
- residence characteristics**, Influence of individual and neighbourhood socioeconomic status on mortality among black, Mexican-American, and white women and men in the United States, **444**
- response rates**, Effects of disseminating research findings on response rates in a community survey: a randomised controlled trial, **536**
- retirement**, Is retirement good or bad for mental and physical health functioning? Whitehall II longitudinal study of civil servants, **46**
- review**, Gender differences in socioeconomic inequality in mortality, **974**
- risk accumulation**, Life course epidemiology, **778**
- risk behaviour**, Low response rate schools in surveys of adolescent risk taking behaviours: possible biases, possible solutions, **63**
- risk factor surveillance**, Comparative analysis of nutrition data from national, household, and individual levels: results from a WHO-CINDI collaborative project in Canada, Finland, Poland, and Spain, **74**
- risk factors**, An adaptation of the Framingham coronary heart disease risk function to European Mediterranean areas, **634**
- Associations of height, leg length, and lung function with cardiovascular risk factors in the Midspan Family Study, **141**
- Excess winter mortality in Europe: a cross country analysis identifying key risk factors, **784**
- Missing, mediocre, or merely obsolete? An evaluation of UK data sources for coronary heart disease, **530**
- Occupational mobility and risk factors in working men: selection, causality or both? Results from the GAZEL study, **901**
- Substantial potential for reductions in coronary heart disease mortality in the UK through changes in risk factor levels, **243**
- Rose angina questionnaire**, Performance of the WHO Rose angina questionnaire in post-menopausal women: Are all of the questions necessary?, **538**
- routine statistics**, Routine statistics: more interest is needed, **476**
- safe behaviour**, Bicycle helmet campaigns and head injuries among children. Does poverty matter?, **668**
- sampling**, Low response rate schools in surveys of adolescent risk taking behaviours: possible biases, possible solutions, **63**
- SARS**, A simple approximate mathematical model to predict the number of severe acute respiratory syndrome cases and deaths, **831**
Behind the mask. Journey through an epidemic: some observations of contrasting public health responses to SARS, **855**
Host and environment are key factors, **770**
How would schools step up public health measures to control spread of SARS?, **945**
Monitoring community responses to the SARS epidemic in Hong Kong: from day 10 to day 62, **864**
Monitoring the severe acute respiratory syndrome epidemic and assessing effectiveness of interventions in Hong Kong Special Administrative Region, **766**
Tai Po Shun Tak Wong Kin Sheung Memorial School AM, Hong Kong, **950**
The impact of community psychological responses on outbreak control for severe acute respiratory syndrome in Hong Kong, **857**
Will the severe acute respiratory syndrome epidemic recur?, **840**
- schools**, How would schools step up public health measures to control spread of SARS?, **945**
- science**, Objectivity and the neutral expert, **3**
Science, ethics, and professional public health practice, **4**
- scientists**, Chasing the dollar: why scientists should decline tobacco industry funding, **546**
- seasonal incidence**, Children born in the summer have increased risk for coeliac disease, **36**
- seasonal mortality**, Excess winter mortality in Europe: a cross country analysis identifying key risk factors, **784**
- seasonality**, Seasonality of live birth sex ratio in south western Siberia, Russia, 1959–2001, **471**
- selective abortion**, Sex ratio at birth among Chinese babies born in Italy is lower than in China, **967**
- self rated health**, Income inequality and health: multilevel analysis of Chilean communities, **844**
Social inequalities in health by individual and household measures of social position in a cohort of healthy people, **56**
Work and health in a contemporary society: demands, control, and insecurity, **849**
- self reported health**, Care Need Index, a useful tool for the distribution of primary health care resources, **347**
- self reported health status**, Previous consultation and self reported health status as predictors of future demand for primary care, **109**
- senior citizens**, Building health policy for healthy living in the city, **84**
- sensitivity**, Performance of the WHO Rose angina questionnaire in post-menopausal women: Are all of the questions necessary?, **538**
- settings approach**, Severe acute respiratory syndrome: a challenge for public health practice in Hong Kong, **655**
- severe acute respiratory syndrome**, A simple approximate mathematical model to predict the number of severe acute respiratory syndrome cases and deaths, **831**
Host and environment are key factors, **770**
How would schools step up public health measures to control spread of SARS?, **945**
Monitoring the severe acute respiratory syndrome epidemic and assessing effectiveness of interventions in Hong Kong Special Administrative Region, **766**
Severe acute respiratory syndrome, **643**
Severe acute respiratory syndrome: a challenge for public health practice in Hong Kong, **655**

- Severe acute respiratory syndrome and Toronto, **642**
- Tai Po Shun Tak Wong Kin Sheung Memorial School AM, Hong Kong, **950**
- The SARS epidemic in Hong Kong, **652**
- Will the severe acute respiratory syndrome epidemic recur?, **840**
- sex preference**, Sex ratio at birth among Chinese babies born in Italy is lower than in China, **967**
- sex ratio**, Seasonality of live birth sex ratio in south western Siberia, Russia, 1959–2001, **471**
- Secular trends in sex ratios at birth in North America and Europe over the second half of the 20th century, **612**
- sexually transmitted diseases**, Women brothel workers and occupational health risks, **809**
- SF-36**, Chinese SF-36 Health Survey: translation, cultural adaptation, validation, and normalisation, **259**
- shoes**, Shoes and lower limb osteoarthritis, **763**
- siblings**, Relation between number of siblings and adult mortality and stroke risk: 25 year follow up of men in the Collaborative study, **385**
- sickness absence**, Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort, **285**
- smoke-free policies**, Are smoke-free policies good for business?, **159**
- smoking**, Chasing Ernst L Wynder: 40 years of Philip Morris' efforts to influence a leading scientist, **571**
- Preterm birth among African American and white women: a multilevel analysis of socioeconomic characteristics and cigarette smoking, **606**
- Prevention of smoking in adolescents with lower education: a school based intervention study, **675**
- Residential area deprivation predicts smoking habit independently of individual educational level and occupational social class. A cross sectional study in the Norfolk cohort of the European Investigation into Cancer (EPIC-Norfolk), **270**
- Smoking cessation services are reducing inequalities, **579**
- Smoking reduction, smoking cessation, and incidence of fatal and non-fatal myocardial infarction in Denmark 1976–1998: a pooled cohort study, **412**
- Socioeconomic status and tobacco expenditure among Australian households: results from the 1998–99 Household Expenditure Survey, **798**
- Socioeconomic status over the life course and stages of cigarette use: initiation, regular use, and cessation, **802**
- smoking cessation**, Childhood mental ability and smoking cessation in adulthood: prospective observational study linking the Scottish Mental Survey 1932 and the Midspan studies, **464**
- social capital**, Mental health and “the Troubles” in Northern Ireland: implications of civil unrest for health and wellbeing, **474**
- Social capital, **320**
- Social capital and leisure time physical activity: a population based multilevel analysis in Malmö, Sweden, **23**
- Social capital in a changing society: cross sectional associations with middle aged female and male mortality rates, **114**
- social class**, Central and total obesity in middle aged men and women in relation to lifetime socioeconomic status: evidence from a national birth cohort, **816**
- Cumulative social class and mortality from various causes of adult men, **745**
- Income and health behaviours. Evidence from monitoring surveys among Finnish adults, **711**
- Joint effects of social class and community occupational structure on coronary mortality among black men and white men, upstate New York, 1988–92, **373**
- Residential area deprivation predicts smoking habit independently of individual educational level and occupational social class. A cross sectional study in the Norfolk cohort of the European Investigation into Cancer (EPIC-Norfolk), **270**
- Social inequalities in health by individual and household measures of social position in a cohort of healthy people, **56**
- Social inequalities in low birth weight in England and Wales: trends and implications for future population health, **687**
- Socioeconomic position in early life, birth weight, childhood cognitive function, and adult mortality. A longitudinal study of Danish men born in 1953, **681**
- Socioeconomic position, occupational exposures, and gender: the relation with locomotor disability in early old age, **453**
- social deprivation**, Social deprivation and the public health risks of community drinking water supplies in New Zealand, **581**
- social disadvantage**, Mental health and “the Troubles” in Northern Ireland: implications of civil unrest for health and wellbeing, **474**
- social epidemiology**, Assessing health impact assessment: multidisciplinary and international perspectives, **659**
- Economics, demography, and epidemiology: an interdisciplinary glossary, **929**
- Multilevel analytical approaches in social epidemiology: measures of health variation compared with traditional measures of association, **550**
- Socioeconomic status over the life course and stages of cigarette use: initiation, regular use, and cessation, **802**
- social exclusion**, Effect of social exclusion on the risk of teenage pregnancy: development of hypotheses using baseline data from a randomised trial of sex education, **871**
- social inclusion**, Arts for health: still searching for the Holy Grail, **401**
- social inequalities**, Continuing inequality: gender and social class influences on self perceived health after a heart attack, **622**
- Impact of childhood and adulthood socioeconomic position on cause specific mortality: the Oslo Mortality Study, **40**
- Social inequalities in depressive symptoms and physical functioning in the Whitehall II study: exploring a common cause explanation, **361**
- social inequality**, Register based monitoring shows decreasing socioeconomic differences in Finnish perinatal health, **433**
- Socioeconomic status and tobacco expenditure among Australian households: results from the 1998–99 Household Expenditure Survey, **798**
- social participation**, Social capital and leisure time physical activity: a population based multilevel analysis in Malmö, Sweden, **23**
- social relations**, Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort, **285**
- Socioeconomic health inequalities among a nationally representative sample of Danish adolescents: the role of different types of social relations, **692**
- social standing of the habitat**, Measuring the habitat as an indicator of socioeconomic position: methodology and its association with hypertension, **248**
- social support**, Do psychosocial work factors and social relations exert independent effects on sickness absence? A six year prospective study of the GAZEL cohort, **285**
- socioeconomic factor**, Education and income: which is more important for mental health?, **501**
- socioeconomic factors**, Gender differences in education related health inequalities in Chinese northern rural areas: 1993 and 2001, **506**
- Influence of individual and neighbourhood socioeconomic status on mortality among black, Mexican-American, and white women and men in the United States, **444**
- Socioeconomic disparities in health care use: Does universal coverage reduce inequalities in health?, **424**
- socioeconomic inequalities**, Choosing area based socioeconomic measures to monitor social inequalities in low birth weight and childhood lead poisoning: The Public Health Disparities Geocoding Project (US), **186**
- socioeconomic inequality**, Infant mortality and family welfare: policy implications for Indonesia, **493**
- socioeconomic position**, Measuring the habitat as an indicator of socioeconomic position: methodology and its association with hypertension, **248**
- socioeconomic status**, Age in epidemiological analysis, **397**
- Association of markers of systemic inflammation, C reactive protein, serum amyloid A, and fibrinogen, with socioeconomic status, **730**
- Bicycle helmet campaigns and head injuries among children. Does poverty matter?, **668**
- Childhood social class and adulthood obesity: findings from the Glasgow Alumni Cohort, **508**
- Community income and surgical rates in the Netherlands, **519**
- Differential correlates of physical activity in urban and rural adults of various socioeconomic backgrounds in the United States, **29**
- Effect of social exclusion on the risk of teenage pregnancy: development of hypotheses using baseline data from a randomised trial of sex education, **871**
- Effect of work related variables on growth among working boys in Jordan, **154**
- Gender differences in socioeconomic inequality in mortality, **974**
- Motor vehicle driver injury and socioeconomic status: a cohort study with prospective and retrospective driver injuries, **512**

- Prevention of smoking in adolescents with lower education: a school based intervention study, **675**
- Research on unemployment and suicide, **559**
- Socioeconomic deprivation, travel distance, and renal replacement therapy in the Trent Region, United Kingdom 2000: an ecological study, **523**
- Socioeconomic differences in attitudes and beliefs about healthy lifestyles, **440**
- Socioeconomic status and tobacco expenditure among Australian households: results from the 1998–99 Household Expenditure Survey, **798**
- Socioeconomic status over the life course and stages of cigarette use: initiation, regular use, and cessation, **802**
- The historical specificity of early life car ownership as an indicator of socioeconomic position, **277**
- Unemployment and suicidal behaviour, **558**
- Unemployment and suicide, **557**
- Unemployment and suicide, **560**
- Unemployment and suicide. Evidence for a causal association?, **594**
- What underlies the high alcohol related mortality of the disadvantaged: high morbidity or poor survival?, **981**
- southern Europe**, Excess winter mortality in Europe: a cross country analysis identifying key risk factors, **784**
- space-time clustering**, A different kind of contextual effect: geographical clustering of cocaine incidence in the USA, **893**
- Speaker' corner**, Bridging the gap between scientists and decision makers, **918**
- Speaker's corner**, Tackling inequalities in health: the need for building a systematic evidence base, **162**
- The Argentinean paradox: the case of contradictory child malnutrition epidemics, **83**
- statistics**, A simple approximate mathematical model to predict the number of severe acute respiratory syndrome cases and deaths, **831**
- stillbirth**, Adverse pregnancy outcomes around incinerators and crematoriums in Cumbria, north west England, 1956–93, **456**
- suicide**, Divorce and suicide risk, **993**
- Lethality of firearms relative to other suicide methods: a population based study, **120**
- Media coverage as a risk factor in suicide, **238**
- Research on unemployment and suicide, **559**
- Unemployment and suicidal behaviour, **558**
- Unemployment and suicide, **557**
- Unemployment and suicide, **560**
- Unemployment and suicide. Evidence for a causal association?, **594**
- surgical rate**, Community income and surgical rates in the Netherlands, **519**
- surveillance**, Differential correlates of physical activity in urban and rural adults of various socioeconomic backgrounds in the United States, **29**
- Global leprosy elimination: time to change more than the elimination target date, **316**
- Watching the Games: public health surveillance for the Sydney 2000 Olympic Games, **102**
- survival**, What underlies the high alcohol related mortality of the disadvantaged: high morbidity or poor survival?, **981**
- survival analysis**, Inequalities in survival from colorectal cancer: a comparison of the impact of deprivation, treatment, and host factors on observed and cause specific survival, **301**
- Sydney Chave**, Sydney's school photos, **758**
- systematic review**, What are the most effective ways of improving population health through transport interventions? Evidence from systematic reviews, **327**
- teenage pregnancy**, Effect of social exclusion on the risk of teenage pregnancy: development of hypotheses using baseline data from a randomised trial of sex education, **871**
- temperament**, Temperament in young adulthood and later mortality: prospective observational study, **888**
- The National Cycle Network**, The challenges of evaluating environmental interventions to increase population levels of physical activity: the case of the UK National Cycle Network, **96**
- the Troubles**, Mental health and "the Troubles" in Northern Ireland: implications of civil unrest for health and wellbeing, **474**
- Mental health in Northern Ireland: have "the Troubles" made it worse?, **488**
- theoretical methods**, Determinism versus stochasticism: in support of long coffee breaks, **477**
- time series**, Mortality and temperature in Sofia and London, **628**
- time trends**, Social inequalities in low birth weight in England and Wales: trends and implications for future population health, **687**
- tobacco**, Smoking cessation services are reducing inequalities, **579**
- tobacco industry**, Chasing Ernst L Wynder: 40 years of Philip Morris' efforts to influence a leading scientist, **571**
- Chasing the dollar: why scientists should decline tobacco industry funding, **546**
- Hazardous effects of tobacco industry funding, **548**
- Townsend deprivation index**, Residential area deprivation predicts smoking habit independently of individual educational level and occupational social class. A cross sectional study in the Norfolk cohort of the European Investigation into Cancer (EPIC-Norfolk), **270**
- traffic accidents**, Motor vehicle driver injury and socioeconomic status: a cohort study with prospective and retrospective driver injuries, **512**
- trafficked women**, Women brothel workers and occupational health risks, **809**
- transport**, What are the most effective ways of improving population health through transport interventions? Evidence from systematic reviews, **327**
- trend**, Seasonality of live birth sex ratio in south western Siberia, Russia, 1959–2001, **471**
- trends**, Crohn's disease, ulcerative colitis, and measles vaccine in an English population, 1979–1998, **883**
- Missing, mediocre, or merely obsolete? An evaluation of UK data sources for coronary heart disease, **530**
- trust**, Social capital in a changing society: cross sectional associations with middle aged female and male mortality rates, **114**
- tuberculosis**, DOT for all patients with smear- positive pulmonary TB in London?, **231**
- ulcerative colitis**, Crohn's disease, ulcerative colitis, and measles vaccine in an English population, 1979–1998, **883**
- unemployment**, Research on unemployment and suicide, **559**
- Unemployment and suicidal behaviour, **558**
- Unemployment and suicide, **557**
- Unemployment and suicide, **560**
- Unemployment and suicide. Evidence for a causal association?, **594**
- urban residential environment**, Building health policy for healthy living in the city, **84**
- victimisation**, Cross sectional survey of perpetrators, victims, and witnesses of violence in Bogotá, Colombia, **355**
- violence**, Cross sectional survey of perpetrators, victims, and witnesses of violence in Bogotá, Colombia, **355**
- war**, Community level risk factors for numbers of landmine victims in Chad and Thailand, **956**
- water**, The right water and the right to water, **455**
- water quality**, Social deprivation and the public health risks of community drinking water supplies in New Zealand, **581**
- water supply**, Social deprivation and the public health risks of community drinking water supplies in New Zealand, **581**
- wealth**, Effects of income and wealth on GHQ depression and poor self rated health in white collar women and men in the Whitehall II study, **718**
- weather**, Weather, climate, and public health, **759**
- weight**, Combination of low birth weight and high adult body mass index: at what age is it established and what are its determinants?, **969**
- white collar**, Effects of income and wealth on GHQ depression and poor self rated health in white collar women and men in the Whitehall II study, **718**
- Whitehall II**, Leisure activities and cognitive function in middle age: evidence from the Whitehall II study, **907**
- willingness to pay**, How willing are parents to improve pedestrian safety in their community?, **951**
- women in reproductive age**, Impact of country of birth on hospital admission for women of childbearing age in Sweden: a five year follow up study, **877**
- world wide web**, Collecting behavioural data using the world wide web: considerations for researchers, **68**
- youth**, Intervention effects on youth tobacco use in the community intervention trial (COMMIT), **159**