

## APPENDIX

DETAILS OF SAMPLE SELECTED FROM 16,163 SINGLE BIRTHS OF KNOWN BIRTH WEIGHT AND DURATION OF GESTATION  
DELIVERED IN BIRMINGHAM DURING 1947

Birth Weight (lb.)	Duration of Gestation (wks)															
	<35				35-38				39-42				43 and Over			
	Number of births	Sampling fraction	Percentage of sample traced	Number traced	Number of births	Sampling fraction	Percentage of sample traced	Number traced	Number of births	Sampling fraction	Percentage of sample traced	Number traced	Number of births	Sampling fraction	Percentage of sample traced	Number traced
<4½	59	1	68	40	52	1	81	42	21	1	71	15	—	—	—	—
4½-	73	1	77	56	214	0·5	75	80	181	0·5	70	64	10	1	60	6
5½-	68	1	75	51	670	0·2	74	92	1,380	0·1	81	102	98	1	62	61
6½-	87	1	68	59	990	0·1	75	63	4,145	0·02	91	85	292	0·5	72	105
7½-	48	1	71	34	574	0·2	73	90	4,236	0·02	95	75	316	0·5	78	119
8½-	12	1	92	11	158	0·5	78	52	1,666	0·1	85	161	148	0·5	78	65
9½-	5	1	80	4	51	1	63	34	465	0·2	80	88	46	1	76	35
10½-	—	—	—	—	7	1	86	6	73	1	99	72	18	1	83	15

## CORRIGENDUM

It is regretted that a misprint occurred in Equation (vii) on p. 19 of the January issue of the Journal in the article on "Mortality from Tumours of the Urinary Bladder", by R. A. M. Case. Equation (vii) should read:

$$R(Z.w.X) = [\text{Anti-probit } Y(b.Z.X)] [0.5483 + 0.00178Z + 0.0119(w - 1935)] \div 100$$