

## BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

The Journal is primarily concerned with the problems of public health and their solution. The field of interest includes studies of the distribution and behaviour of disease in human populations; the definition of the agents responsible for the patterns observed; the consideration of the modifying effect of social or environmental conditions on disease evolution; and the assessment of the health and efficiency of people exposed to various external circumstances. Linked with these subjects is the design of measures intended to control or prevent disease and the field assessment of their value in public health practice. Preventive and Social Medicine also encompasses the objective study of the organization and functioning of medical services with particular emphasis on the measurement of their efficiency.

### NOTICE TO CONTRIBUTORS

#### COMMUNICATIONS.

Papers, which will be accepted on the understanding that they have not been and will not be published elsewhere and are subject to editorial revision, should be addressed to The Editors, *British Journal of Preventive and Social Medicine*, B.M.A. House, Tavistock Square, London, W.C.1.

The Editors cannot undertake correspondence about papers returned as unsuitable on the advice of members of the Editorial Board.

The author should make adequate reference to previous work on his subject, and provide a full summary of his observations and conclusions.

Articles must be typewritten on one side of the paper only, in double spacing with ample margins.

#### ILLUSTRATIONS.

These should be marked on the back with the author's name and the top edge indicated. Photographs should be printed on glossy paper, and should be a little larger than the size desired for reproduction. Graphs, charts, and tables should be presented on separate sheets apart from the text. Except letters and numbers, which should be lightly written in pencil, diagrams should be drawn in black ink on tracing linen, Bristol board, or smooth white paper.

#### REFERENCES.

In the text, the year of publication must follow the author's name, more than one paper by the same author in any one year being

indicated by a letter (a, b, c) after the date. References should not be numbered or given in footnotes, but should be listed at the end in alphabetical order of authors' names, as follows: Author's name and initials, year of publication (in parentheses), title of periodical (in italics, abbreviated as in *World Medical Periodicals*, 3rd ed., 1961 B.M.A.), volume number (bold type, Arabic), and first page number (ordinary type, Arabic), thus:

Cowan, J. (1929). *Quart J. Med.*, **22**, 237.

For books the author's name and initials, year (in parentheses), full title, edition and page number, publisher, and place of publication should be given.

#### PROOFS.

Contributors will receive one proof, and should read it carefully for printers' errors, and check the tables, figures, legends, and any numerical, mathematical, or other scientific expressions. Alterations to the original text should be kept to a minimum.

#### REPRINTS.

Fifty reprints will be supplied free of charge. A limited number of additional reprints may be ordered from the Publishing Manager when the proofs are returned.

**COPYRIGHT © 1964** by the *British Journal of Preventive and Social Medicine*. All rights of reproduction are reserved in respect of all papers, articles, tables, illustrations, etc. published in this Journal in all countries of the world.

### NOTICE TO ADVERTISERS

Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *British Journal of Preventive and Social Medicine*, B.M.A. House, Tavistock Square, London, W.C.1.

### NOTICE TO SUBSCRIBERS

The annual subscription rate is £3 3s. in the United Kingdom and the Republic of Ireland, and £3 10s. in all countries overseas. The following are examples of equivalents to the sterling rate.

Australia .. .. .	£A4 7s. 6d.	India and Pakistan .. .. .	R. 46.75	Spain .. .. .	Pta. 600.00
Belgium .. .. .	Fr. 490.00	Italy .. .. .	L. 6,100	Sweden .. .. .	Kr. 50.60
Canada .. .. .	\$ 11.00	Japan .. .. .	Yen 3,525	Switzerland .. .. .	Fr. 42.50
Denmark .. .. .	Kr. 68.00	Netherlands .. .. .	G. 35.50	U.S.A. .. .. .	\$ 10.00
France .. .. .	NF. 48.00	Norway .. .. .	Kr. 70.25	Venezuela .. .. .	Bol. 44.50
Germany .. .. .	DM. 39.50	South Africa .. .. .	Rand. 7.00		

Payment for overseas subscriptions should be made in sterling, *i.e.* £3 10s., and sent by Mail Transfer (*Charges Remitter*) through a Bank, payable to the British Medical Association. Orders can be placed locally through any leading subscription agent or bookseller.

## INDEX TO VOLUME XVIII, 1964

\*Indicates that only an abstract of the paper is given.

- Abnormality, congenital, in children of women with tuberculosis, 15  
—, —, due to drugs 198  
—, —, intelligence and, 63  
—, —, low birth weight and, 63  
—, —, seasonal variation in, 1  
  *See also*: Malformation
- ABO blood groups and Rh iso-immunization, 210  
— — — and smoking habit, 109
- Accidents as cause of fractures, 130, 142
- ACHESON, E. D.: Oxford record linkage study. Central file of morbidity and mortality records for a pilot population, 8
- ACHESON, R. M., and FOWLER, G. B.: Sex, socio-economic status, and secular increase in stature. A family study, 25
- \*ADELSTEIN, A. M., 55
- Africa, East, malaria and vital rates in Bantu in, 43
- Age and fractures, incidence of, 130  
— and smoking habits, 163
- Agnesis, renal, incidence of, 198
- ALLAN, T. M.: ABO blood groups and Rh iso-immunization, 210
- Amelia, incidence of, 198
- ANDERSON, C. W.: *see* ELWOOD, P. C., etc., 125
- \*ANDERSON, J. A. D., 57
- Anencephalus, incidence of, 198
- Angina, prevalence of, 205
- Arterio-sclerosis, coronary: *see* Cardiovascular disease
- ASHFORD, J. R.: *see* MORGAN, D. C., etc., 88
- Atresia, oesophageal or anal, incidence of, 198
- \*BACKETT, E. M., 56
- Bantu communities in E. Africa, malaria and vital rates in, 43
- BENNETT, B. M., and NAKAMURA, E.: An examination of familial data for associated birth-order effects in the presence of malformations of the central nervous system, 98
- BILLEWICZ, W. Z.: Matched samples in medical investigations, 167
- Birmingham, arterial pressure, physique, and occupation of workers in, 115
- Birth rank, familial data for effects of, in the presence of central nervous system malformations, 98  
— —, growth rate and, 35  
— weight and congenital defects, 63  
— —, low, and intelligence, 59
- \*BLANEY, R., 57
- Blood groups, ABO, genetic considerations of, 210  
— —, — and Rhesus, smoking habit and, 109  
— pressure, arterial, physique and occupation and, 115  
— studies in women, 81
- \*BODDY, F. A., 57
- BOURKE, G. J., and O'RIORDAN, J. P.: Distribution of ABO and Rhesus blood groups in relation to smoking habit, 109
- BRASS, W.: *see* WEIR, R. D., etc., 102
- Bristol, smoking habits of delinquent boys in, 52
- Bronchitis, chronic, aetiology of (MRC Committee), 174
- BUHR, A. J.: *see* KNOWELDEN, J., etc., 130
- \*BUTTERFIELD, W. J. H., 57
- \*CAMPBELL, H., 55
- Cardiff, haemoglobin levels and physique of school children in, 125  
—, women with tuberculosis in, and congenital defects in their children, 1
- Cardiovascular disease, prevalence of, 202
- \*CAREY, G. C. R., 55
- \*CARTER, C. O., 56
- Childbirth: *see* Parturition
- Children, epidemiology of coughs and colds and presence of, in household, 179  
—, — of leukaemia in, in N.E. England, 17
- Cigarette smoking: *see* Smoking habit
- Cleft lip and/or palate, incidence of, 198
- Coalminers' answers to a respiratory symptoms questionnaire, seasonal variations in, 88  
— —, smoking habits of, 88
- Colds and coughs in students, epidemiology of, 174
- College of General Practitioners, enquiry into congenital abnormalities, 1
- Coronary artery disease, *see* Cardiovascular disease
- COWAN, P., and ROTH, K.: Determining maternity case load by means of a Poisson process, 102
- DAVIES, E.: *see* ELWOOD, P. C., etc., 125
- Defect, congenital: *see* Abnormality, congenital
- Delinquency and smoking, 52
- Diet and growth rate, 40
- DIMOND, S. J.: Smoking habits of delinquent boys, 52
- \*DOLL, R., 56
- Drugs and teratogenesis, 196  
— for tuberculosis, no harmful effects found on mothers and their children, 15
- DUNBAR, O.: *see* KNOWELDEN, J., etc., 130
- Dundee, fracture patients in, 130
- Echo 9 virus and congenital malformations, 152
- Edinburgh, stammering in, 146
- ELWOOD, P. C.: Distribution of haemoglobin level, packed cell volume, and mean corpuscular haemoglobin concentration in women in the community, 81  
\*—, 55  
—, WITHEY, J. L., KILPATRICK, G. S., POWELL-PHILIPS, W., ANDERSON, C. W., DAVIES, E., and MEAD, B.: Distribution of haemoglobin level in a group of school children and its relation to height, weight, and other variables, 125
- Employment difficulties of men after discharge from hospital, occupation and, 102
- England, N.E., epidemiology of childhood leukaemia in, 17
- Epidemiology of coughs and colds in overseas and UK students, 174  
— of hepatitis, acute, in the RAF, 183  
— of leukaemia in children in N.E. England, 17  
— of malaria in E. Africa, 43  
— of parapatum mental illness, 189  
— of respiratory symptoms in miners, 88
- Exomphalos, incidence of, 198

- Falls as cause of fractures, 130  
 Family data for importance of birth order in incidence of central nervous system malformations, 98  
 — incidence of ischaemic heart disease, 75  
 — influence on stammering, 146  
 — size, growth rate and, 35  
 FAWCETT, P. G.: *see* McCULLOCH, J. W., etc., 146  
 Femur, neck of, incidence of fractures of, in mental hospitals, 142  
 Foetus, damage to, by virus infection during pregnancy, 152  
 FOWLER, G. B.: *see* ACHESON, R. M., etc., 25  
 Fractures, incidence of, in mental hospitals, 142  
 —, —, in persons over 35 years of age, 130  
 \*FRASER, G. R., 56  
 \*FROGGATT, P., 56
- Gestation, length of, and intelligence, 65  
 Glasgow, Echo 9 virus and congenital malformations in, 152  
 GRANT, M. W.: Rate of growth in relation to birth rank and family size, 35  
 GRIST, N. R.: *see* LANDSMAN, J. B., etc., 152  
 Growth rate in relation to birth rank and family size, 35
- Haemoglobin, level and concentration of, in women, 81  
 — — and physique of school children, 125  
 \*HARLEY, J., 56  
 Heart disease, ischaemic, familial patterns of, 75  
 Height, adult, prediction of, 26  
 — and haemoglobin level, of school children, 125  
 —, rate of growth and, 35  
 \*HENDERSON, M., 57  
 Hepatitis, acute, epidemiology of, in RAF, 183  
 Heredity and growth rate, 42  
 \*HOLLAND, W. W., 56  
 Hospitals, mental, incidence of femoral neck fractures in, 142  
 — provision for maternity cases, 102  
 —, stay in, of fracture patients, 130
- Incompatibility, Rhesus, of mother and father, 210  
 Infarction, myocardial, in men with coronary artery disease, 205  
 Infection and growth rate, 41  
 Influenza, congenital malformations after, 199  
 Intelligence and congenital defects, 63  
 — and low birth weight, 59  
 — and stammering, 146  
 — testing of young children, 59  
 Ireland, smoking habit study in, 109  
 Iso-immunization, Rh, ABO blood groups and, 210
- Jaundice: *see* Hepatitis
- Kenya, malaria in, 43  
 KILPATRICK, G. S.: *see* ELWOOD, P. C., etc., 125  
 KNOWELDEN, J., BUHR, A. J., and DUNBAR, O.: Incidence of fractures in persons over 35 years of age. A report to the MRC working party on fractures in the elderly, 130  
 —: *see* LEITCH, I. H., etc., 142  
 KNOX, G.: Epidemiology of childhood leukaemia in Northumberland and Durham, 17
- LANDSMAN, J. B., GRIST, N. R., and ROSS, C. A. C.: Echo 9 virus infection and congenital malformations, 152
- LECK, I.: Examination of the incidence of malformations for evidence of drug teratogenesis, 196  
 \*—, 56  
 \*LEE, J. A. H., 58  
 LEITCH, I. H., KNOWELDEN, J., and SEDDON, H. J.: Incidence of fractures, particularly of the neck of the femur, in patients in mental hospitals, 142  
 Leukaemia, childhood, epidemiology of, in N.E. England, 17  
 London children re-housed in Hertfordshire, growth rate of, 35  
 — mental hospitals, incidence of femoral neck fractures in, 142  
 — public school boys, stature of, 25  
 LOWE, C. R.: Congenital defects among children born to women under supervision or treatment for pulmonary tuberculosis, 14  
 —: Arterial pressure, physique, and occupation, 115  
 \*—, 55  
 Lung disease in coal miners, seasonal variation in, 88
- MCCULLOCH, J. W., and FAWCETT, P. G.: Some factors affecting the prevalence of stammering, 146  
 McDONALD, A. D.: Intelligence in children of very low birth weight, 59  
 McDONALD, J. C.: *see* SLATER, B. C. S., etc., 1  
 \*MCKEOWN, T., 56  
 Malaria and vital rates in E. African Bantu communities, 43  
 Malformation of central nervous system, family data for effect of birth order on, 98  
 —, congenital, due to drugs, 196  
 —, —, Echo 9 virus and, 152  
 Mamba uplands, Tanganyika, a malaria-free zone, 43  
 \*MARTIN, F. M., 57  
 Matching of samples in medical investigations, 167  
 Maternity case load determined by Poisson process, 102  
 MEAD, B.: *see* ELWOOD, P. C., etc., 125  
 Medical Research Council Committee on Aetiology of Chronic Bronchitis: An investigation into differences in respiratory illness in Overseas and United Kingdom students, 174  
 Menstruation, onset of, and haemoglobin levels, 125  
 Mental hospitals, incidence of femoral neck fractures in, 142  
 — illness, parapartum, 189  
 \*MERRETT, J. D., 55  
 Mkomazi valley, Tanganyika, malaria in, 43  
 Morbidity of coughs and colds in students, 174  
 — of hepatitis, acute, in the RAF, 185  
 — records, central file of, for a pilot population, 8  
 MORGAN, D. CROOKE, PASQUAL, R. S. H., and ASHFORD, J. R.: Seasonal variations in the measurement of ventilatory capacity and in the answers of working coal miners to a respiratory symptoms questionnaire, 88  
 Mortality from coronary artery disease, 202  
 —, prostate, in Scotland and social class, 157  
 — records, central file of, for a pilot population, 8  
 Mother, tuberculosis in, and congenital defects in: children, 15
- NAKAMURA, E.: *see* BENNETT, B. M., etc., 98  
 Neonatal hazards and intelligence, 67  
 Nervous system malformations, birth order and, 98
- Occupation, arterial pressure and, 115  
 — and prognosis for hospital patients, 102  
 O'RIORDAN, J. P.: *see* BOURKE, G. J., etc., 109

- Osteoporosis and incidence of fractures, 144  
 Oxford, fracture patients in, 130  
 — record linkage study, 8
- PAFFENBARGER, R. S., Jr.: Epidemiological aspects of parapatrum mental illness, 189
- \*PALMER, J. W., 57
- Pare area, Tanganyika, malaria in, 43
- Parturition and mental illness, 189
- PASQUAL, R. S. H.: *see* MORGAN, D. C., etc., 88
- Phocomelia, incidence of, 198
- Physique, arterial pressure and, 115  
 —, haemoglobin levels in school children and, 125
- Pipe smoking: *see* Smoking habit
- Poisson process in determination of maternity case load, 102
- POWELL-PHILIPS, W.: *see* ELWOOD, P. C., etc., 125
- Pregnancy illness and intelligence of children, 66  
 —, virus infection during, as cause of foetal damage, 152
- Prematurity and intelligence, 59
- PRINGLE, G.: Malaria and vital rates in three E. African Bantu communities. I. Initial demographical survey, 43
- Prognosis for recovery, occupation and, 102
- Prostate, hyperplasia of, and social class, 157
- Pygott, F.: Changes in smoking habits, 1959–63, 163
- RAF, hepatitis in, 183  
 Record linkage, Oxford study of, 8
- \*RECORD, R. G., 56  
 — and WHITFIELD, A. G. W.: Prevalence of and mortality from, coronary artery disease in men, 202  
 Recovery from illness, occupation and prognosis for, 102
- Research, sampling methods in, 167
- Respiratory illness in students, 174  
 — symptoms in coal miners, 88
- Rest and growth rate, 41
- Rhesus blood groups and smoking habit, 109
- Rh iso-immunization and ABO blood groups, 210
- Rhondda Fach, stature of children in, 25
- RICHARDSON, I. M.: Prostatic hyperplasia and social class, 157  
 \*—, 57
- ROSE, G.: Familial patterns in ischaemic heart disease, 75
- ROSS, C. A. C.: *see* LANDSMAN, J. B., etc., 152
- ROTH, K.: *see* COWAN, P., etc., 102
- Sampling in medical investigations, 167
- School children, haemoglobin levels and physique of, 125  
 — —, presence of, and incidence of colds and coughs, 174
- Scotland, northern, incidence of stammering in, 146  
 —, prostate mortality in, 157
- Seasonal variation in congenital abnormality, 1  
 — — in ventilatory capacity and respiratory symptoms in coal miners, 88
- SEDDON, H. J.: *see* LEITCH, I. H., etc., 142
- Sex and intelligence, 64  
 — and physical development, 26
- Sex ratio of babies, according to ABO blood groups of parents, 210  
 — and secular increase in stature, 25
- Skeletal maturity, 26
- SKLAROFF, S. A.: MRC investigation of respiratory diseases in students, 174  
 \*—, 55
- SLATER, B. C. S., WATSON, G. I., and McDONALD, J. C.:  
 Seasonal variation in congenital abnormalities, 1
- Smoking habit, ABO and Rhesus blood groups and, 109  
 — —, changes in, 1959–63, 163  
 — — of coal miners, 88  
 — — of delinquent boys, 52  
 — — and incidence of colds and coughs, 178
- Social class and intelligence, 60  
 — — and prostatic hyperplasia, 157
- Society for Social Medicine: 7th annual meeting, 1963, 55
- Socio-economic status and secular increase in stature, 25
- Spina bifida, incidence of, 198
- Stammering, factors in, 146
- Stanford-Binet intelligence test, 60
- Statistics, matched sampling methods, 167
- Stature, secular increase in, related to sex and socio-economic status, 25
- \*STEIN, Z. A., 55, 58
- Students, respiratory illness in, overseas and UK compared, 174
- \*SUSSER, M. W., 58
- Tanganyika, malaria in, 43
- Taveta forest, Kenya, malaria in, 43
- Teratogenesis due to drugs, 196
- Tobacco: *see* Smoking habit
- Tuberculosis in the mother and congenital defects in children, 15
- Twins, birth weight, and intelligence, 65
- Urine retention and prostatic hyperplasia, 157
- Ventilatory capacity in coal miners, seasonal variation in, 88  
 — — and incidence of colds and coughs in students, 178
- Virus damage to foetus, 152
- Visual defect, congenital, and intelligence, 70
- Vital rates in Bantu in E. Africa, 43
- WATSON, G. I.: *see* SLATER, B. C. S., etc., 1
- Weight and haemoglobin levels of school children, 125
- WEIR, R. DEANS, and BRASS, W.: Occupational prognosis, 102
- WHITFIELD, A. G. W.: *see* RECORD, R. G., etc., 202
- WITHEY, J. L.: *see* ELWOOD, P. C., etc., 125
- Women, haemoglobin studies in, 81  
 —, tuberculosis in, and congenital defects in offspring, 15
- ZUCKERMAN, A. J.: Epidemiology of acute hepatitis in the RAF, 183

# TO-DAY'S DRUGS

A book under this title will be published in December 1964. It is based on a series of review articles which were printed in the "To-day's Drugs" section of the *British Medical Journal* between January 1963 and May 1964. These articles have been edited and brought completely up to date so as to form an authoritative and practical guide to modern therapeutics. The book is designed to cover the drug treatment of those common conditions which are met with in general and hospital practice. There are important sections dealing with antibiotic therapy, cardiovascular conditions, rheumatic disorders, oral contraceptives, and the special problems involved in pædiatric and geriatric prescribing. Special attention has been paid to the precautions which should be taken in using these drugs and their toxic and side-effects. This book should be of value to all doctors concerned in the day-to-day treatment of patients.

*Demy Octavo*

*408 pages*

*Price 30s net*

**ORDER YOUR COPY NOW**



The Publishing Manager  
BRITISH MEDICAL JOURNAL  
Tavistock Square, London, W.C.1

