

# Subject index

- Aedes aegypti**, Educational campaign versus malathion spraying for the control of *Aedes aegypti* in Colima, Mexico, **148**
- abortion**, Abortion and breast cancer, **237**  
Abortion and breast cancer, **238**
- accidents**, Influence of driver nationality on the risk of causing vehicle collisions in Spain, **394**
- acculturation**, Acculturation status and hypertension among Asian immigrants in Canada, **455**
- active commuting**, "Walk in to Work Out": a randomised controlled trial of a self help intervention to promote active commuting, **407**
- active treatment rate of district**, Lung cancer: district active treatment rates affect survival, **424**
- adolescence**, Gender differences in weight related concerns in early to late adolescence, **700**
- adolescent health**, Doing things together: adolescent health and family rituals, **89**  
Social class gradients in health during adolescence, **354**
- adolescent pregnancy**, Sociodemographic differences in the occurrence of teenage pregnancies in Finland in 1987–1998: a follow up study, **659**
- adolescents**, Assessing socioeconomic status in adolescents: the validity of a home affluence scale, **595**  
Smoking in young adolescents: an approach with multilevel discrete choice models, **227**  
Social aetiology of violent deaths in Swedish children and youth, **688**  
Socioeconomic differences in children's and adolescents' hospital admissions in Germany: a report based on health insurance data on selected diagnostic categories, **109**  
Which measure of adolescent psychiatric disorder—diagnosis, number of symptoms, or adaptive functioning—best predicts adverse young adult outcomes?, **56**
- Adrian Henri**, The death of an artist: Adrian Henri, 1932–2000, **72**
- aetiology**, Impact numbers: measures of risk factor impact on the whole population from case-control and cohort studies, **606**
- affluence**, Neighbourhood level versus individual level correlates of women's body dissatisfaction: toward a multilevel understanding of the role of affluence, **193**
- African-American adolescents**, Activity of African-American female teenagers in black organisations is associated with STD/HIV protective behaviours: a prospective analysis, **549**
- age**, Health inequalities by education and age in four Nordic countries, 1986 and 1994, **253**
- age-period-cohort modelling**, Long term mortality trends behind low life expectancy of Danish women, **205**
- AIDS**, Decreasing AIDS mortality rates among young adults in the city of Florence, 1987–1999, **399**  
Decreasing AIDS mortality rates among young adults in the city of Florence, 1987–1999, **399**  
Effectiveness of highly active antiretroviral therapy among HIV-1 infected women, **153**
- air pollution**, Air pollution and general practice consultations for respiratory illnesses, **949**  
Short-term effects of particulate air pollution on cardiovascular diseases in eight European cities, **773**
- alcohol consumption**,  $\gamma$ -Glutamyltransferase and risk of stroke: the EUROSTROKE project, **i25**
- alcohol intake**, Alcohol consumption and the incidence of type II diabetes, **542**
- alcohol**, Is the link between alcohol and cardiovascular death among young Russian men attributable to misclassification of acute alcohol intoxication? Evidence from the city of Izhevsk, **171**  
Types of alcoholic beverages and blood lipids in a French population, **24**
- Alder Hey**, Alder Hey, **4**
- allergy**, Does a higher number of siblings protect against the development of allergy and asthma? A review, **209**
- ambulatory blood pressure**, The relation between maternal work, ambulatory blood pressure, and pregnancy hypertension, **389**
- anthropogenic toxicants**, Persistent toxic chemicals in the US food supply Guest Editor: M Porta; Assistant Editor: E Zumeta, **813**
- antiretroviral therapy**, Effectiveness of highly active antiretroviral therapy among HIV-1 infected women, **153**
- appendicitis**, Appendectomy, tonsillectomy, and inflammatory bowel disease: a case-control record linkage study, **551**
- appropriateness**, Hysterectomy and socioeconomic position in Rome, Italy, **461**
- art**, The death of an artist: Adrian Henri, 1932–2000, **72**
- asthma**, Does a higher number of siblings protect against the development of allergy and asthma? A review, **209**
- asylum seekers**, Provision of services to asylum seekers. Are there lessons from the experience with Kosovan refugees?, **223**
- Balkans**, Balkans briefing number 7. Pristina Hospital: under new management, **220**
- birth weight**, Persistence of lower birth weight in second generation South Asian babies born in the United Kingdom, **684**  
Social influences on birth weight, **326**
- bladder cancer**, Tobacco smoking and bladder cancer in coffee non-drinkers, **78**
- blood lipids**, Types of alcoholic beverages and blood lipids in a French population, **24**
- blood pressure**,  $\gamma$ -Glutamyltransferase and risk of stroke: the EUROSTROKE project, **i25**  
Higher blood pressure among Inuit migrants in Denmark than among the Inuit in Greenland, **279**  
Left ventricular hypertrophy and risk of fatal and non-fatal stroke. EUROSTROKE: a collaborative study among research centres in Europe, **i8**  
Level of fibrinogen and risk of fatal and non-fatal stroke. EUROSTROKE: a collaborative study among research centres in Europe, **i14**  
Prenatal ultrasound biometry related to subsequent blood pressure in childhood, **713**  
The EUROSTROKE cohorts: a short description and data analytical approach, **i2**  
Total and HDL cholesterol and risk of stroke. EUROSTROKE: a collaborative study among research centres in Europe, **i19**
- body dissatisfaction**, Neighbourhood level versus individual level correlates of women's body dissatisfaction: toward a multilevel understanding of the role of affluence, **193**
- body mass index**, Body mass index in young adulthood and cancer mortality: a retrospective cohort study, **780**  
Descriptive epidemiology of body mass index of an urban adult population in western India, **876**  
Height, body mass index, and survival in men with coronary disease: follow up of the diet and reinfarction trial (DART), **218**  
Nutritional transition: a public health challenge in developing countries, **804**
- body weight**, Gender differences in weight related concerns in early to late adolescence, **700**
- bovine spongiform encephalopathy**, Bovine spongiform encephalopathy, persistent organic pollutants, and the achievable utopias, **806**
- breast cancer**, Abortion and breast cancer, **237**  
Abortion and breast cancer, **237**
- BSE**, Food standards after the BSE Inquiry report...a worrying problem for public health, **803**
- bunk beds**, Bunk versus conventional beds: a comparative assessment of fall injury risk, **413**
- calcium intake**, Liberal fortification of foods: the risks. A study relating to Finland, **259**
- cancer promoters**, Persistent organic pollutants in food: public health implications, **831**
- cancer survival models**, A cancer survival model that takes socio-demographic variations in "normal" mortality into account: comparison with other models, **309**
- cancer**, Body mass index in young adulthood and cancer mortality: a retrospective cohort study, **780**  
Cancer screening, **899**
- capture-recapture analysis**, Estimation of the prevalence of diagnosed diabetes from primary care and secondary care source data: comparison of record linkage with capture-recapture analysis, **18**
- carcinogenesis**, Persistent organic pollutants in food: public health implications, **831**
- cardiovascular disease**, Changing life expectancy in Romania after the transition, **444**  
Is the link between alcohol and cardiovascular death among young Russian men attributable to misclassification of acute alcohol intoxication? Evidence from the city of Izhevsk, **171**  
Short-term effects of particulate air pollution on cardiovascular diseases in eight European cities, **773**
- caregiving**, Transitions to informal care in Great Britain during the 1990s, **579**
- cause of death**, Comparing hospital discharge records with death certificates: Can the differences be explained?, **301**
- Chagas' disease**, Fighting against Chagas' disease in the Guarani communities in Bolivia, **403**
- chemical safety**, Persistent toxic chemicals: more than Stockholm persistent organic pollutants, **833**
- child health**, Persistent toxic chemicals: more than Stockholm persistent organic pollutants, **833**

- childhood living conditions**, Health inequalities by education and age in four Nordic countries, 1986 and 1994, **253**
- child**, Exposure to extremely low frequency magnetic fields among primary school children in Spain, **432**
- children**, Multilevel modelling of aircraft noise on performance tests in schools around Heathrow Airport London, **139**  
Parents' labour market participation as a predictor of children's health and wellbeing: a comparative study in five Nordic countries, **861**  
Socioeconomic differences in children's and adolescents' hospital admissions in Germany: a report based on health insurance data on selected diagnostic categories, **109**  
Socioeconomic differences in children's use of physician services in the Nordic countries, **200**  
Trends in head injury mortality among 0–14 year olds in Scotland (1986–95), **285**
- climate**, Climate variability and Ross River virus transmission, **617**  
Mortality and bioclimatic discomfort in Emilia-Romagna, Italy, **536**
- clinical governance**, An evaluation of clinical governance in the public health departments of the West Midlands Region, **563**
- coffee**, Tobacco smoking and bladder cancer in coffee non-drinkers, **78**
- cohort study**, Body mass index in young adulthood and cancer mortality: a retrospective cohort study, **780**  
Effectiveness of highly active antiretroviral therapy among HIV-1 infected women, **153**
- cohort**,  $\gamma$ -Glutamyltransferase and risk of stroke: the EUROSTROKE project, **i25**  
Left ventricular hypertrophy and risk of fatal and non-fatal stroke. EUROSTROKE: a collaborative study among research centres in Europe, **i8**  
Level of fibrinogen and risk of fatal and non-fatal stroke. EUROSTROKE: a collaborative study among research centres in Europe, **i14**  
Prediction of stroke in the general population in Europe (EUROSTROKE): Is there a role for fibrinogen and electrocardiography?, **i30**  
The EUROSTROKE cohorts: a short description and data analytical approach, **i2**  
Total and HDL cholesterol and risk of stroke. EUROSTROKE: a collaborative study among research centres in Europe, **i19**
- colorectal cancer**, Diabetes mellitus, family history, and colorectal cancer, **479**  
Diabetes mellitus, family history, and colorectal cancer, **479**
- community health**, Trends in coronary mortality and community services, associated with occupational structure in New York State, 1980–96, **868**
- community mental health**, Development and validation of an instrument to measure perceived neighbourhood quality in Taiwan, **492**
- community**, Educational campaign versus malathion spraying for the control of *Aedes aegypti* in Colima, Mexico, **148**
- confidence intervals**, Sampling variability of the Kunst-Mackenbach relative index of inequality, **762**
- confounding**, Confounding by indication in non-experimental evaluation of vaccine effectiveness: the example of prevention of influenza complications, **951**
- consultations**, Air pollution and general practice consultations for respiratory illnesses, **949**
- contingent work**, Selection from fixed term to permanent employment: prospective study on health, job satisfaction, and behavioural risks, **693**
- coronary artery bypass**, Mortality and morbidity surrounding coronary artery bypass surgery and the public presentation of risk, **430**
- coronary heart disease**, Gender differences in the management and outcome of patients with acute coronary artery disease, **791**  
Height, body mass index, and survival in men with coronary disease: follow up of the diet and reinfarction trial (DART), **218**  
Is the prevalence of coronary heart disease falling in British men?, **404**  
Limitations of adjustment for reporting tendency in observational studies of stress and self reported coronary heart disease, **76**  
Milk and coronary heart disease mortality, **319**  
Milk and coronary heart disease mortality, **319**  
Milk, dairy products, and coronary heart disease, **471**  
Sexual intercourse and risk of ischaemic stroke and coronary heart disease: the Caerphilly study, **99**  
The connection between milk and mortality from coronary heart disease, **958**  
Trends in coronary mortality and community services, associated with occupational structure in New York State, 1980–96, **868**
- coronary revascularisation**, Gender differences in clinical status at time of coronary revascularisation in Spain, **555**
- cost effectiveness**, Telephone reminders are a cost effective way to improve responses in postal health surveys, **115**
- cotinine**, Validation of self reported smoking by serum cotinine measurement in a community-based study, **167**  
Validation of self reported smoking, **163**
- Crohn's disease**, Appendectomy, tonsillectomy, and inflammatory bowel disease: a case-control record linkage study, **551**
- crops**, Organochlorine residues pose surprisingly high dietary risks, **822**
- dairy products**, Milk, dairy products, and coronary heart disease, **471**
- death**, Impact of hot temperatures on death in London: a time series approach, **367**
- de-industrialisation**, Effect of de-industrialisation on working conditions and self reported health in a sample of manufacturing workers, **506**
- depression**, Depression and falls among community dwelling elderly people: a search for common risk factors, **631**
- deprivation**, Heterogeneity of deprivation within very small areas, **669**  
Indicators of deprivation, voting patterns, and health status at area level in the Republic of Ireland, **36**  
Interrelations between three proxies of health care need at the small area level: an urban/rural comparison, **754**  
Rurality, deprivation, and excess winter mortality: an ecological study, **373**
- diabetes prevalence**, Estimation of the prevalence of diagnosed diabetes from primary care and secondary care source data: comparison of record linkage with capture-recapture analysis, **18**
- diabetes**, Diabetes mellitus, family history, and colorectal cancer, **479**  
Diabetes mellitus, family history, and colorectal cancer, **479**  
Newcastle Heart Project, **79**  
Short-term mortality of myocardial infarction patients with diabetes or hyperglycaemia during admission, **707**
- diagnostic research**, Challenges in dia-prognostic research, **340**  
Diagnostic studies as multivariable, prediction research, **337**  
Future challenges for diagnostic research: striking a balance between simplicity and complexity, **334**  
Future challenges for research on diagnostic tests: genetic tests and disease prevention, **335**  
Improving standards of medical and public health research, **333**  
Misguided efforts and future challenges for research on "diagnostic tests", **330**  
The need for expanding and re-focusing of statistical approaches in diagnostic research, **338**  
The teacher's teacher: a personal tribute to Alvan R Feinstein, **328**  
The winding road towards evidence based diagnoses, **323**
- diazepam**, Stress and suicide in the Nurses' Health Study, **95**
- dietary patterns**, The internal validity of a dietary pattern analysis. The Framingham Nutrition Studies, **381**
- diet**, Persistent toxic chemicals in the US food supply Guest Editor: M Porta; Assistant Editor: E Zumeta, **813**
- dioxin**, Food contamination with polychlorinated biphenyls and dioxins in Belgium. Effects on the body burden, **828**
- disability adjusted life years**, How to measure the burden of mortality?, **128**
- disability**, In the country of the blind?, **885**  
Measuring the health burden of chronic disease and injury using health adjusted life expectancy and the Health Utilities Index, **843**
- doctors**, Suicide in doctors, **237**
- drug misuse**, Policy response to opioid misuse in Dublin, **6**  
Unexplained illness among injecting drug users in Dublin: a case-control study, **575**
- drug prescribing**, Evidence based educational outreach visits: effects on prescriptions of non-steroidal anti-inflammatory drugs, **653**
- Duncan Memorial Lecture**, Health services and the public health, **835**
- ecology**, Towards an ecology minded public health?, **82**
- economics**, Health economic evaluation, **85**
- eczema**, Does a higher number of siblings protect against the development of allergy and asthma? A review, **209**
- educational health inequalities**, Health inequalities by education and age in four Nordic countries, 1986 and 1994, **253**
- educational outreach visit**, Evidence based educational outreach visits: effects on prescriptions of non-steroidal anti-inflammatory drugs, **653**
- education**, A cancer survival model that takes sociodemographic variations in "normal" mortality into account: comparison with other models, **309**  
Educational campaign versus malathion spraying for the control of *Aedes aegypti* in Colima, Mexico, **148**  
Educational level and mortality from infectious diseases, **682**  
Relation of occupational class and education with mortality in Korea, **798**  
The size of obesity differences associated with educational level in Spain, 1987 and 1995/97, **457**
- elderly people**, Depression and falls among community dwelling elderly people: a search for common risk factors, **631**  
Developing a National Service Framework for older people, **841**
- employment**, Employment security and health, **569**

- endocrine disrupting chemicals**, Persistent organic pollutants: potential health effects?, **824**
- environmental endocrine disruptors**, Persistent toxic chemicals in the US food supply, **813**
- environmental tobacco smoke**, Is the hair nicotine level a more accurate biomarker of environmental tobacco smoke exposure than urine cotinine?, **66**
- environment**, A health impact assessment model for environmental changes attributable to development projects, **611**  
Genetics and social class, **529**  
Social influences on birth weight, **326**
- epidemic polyarthritis**, Climate variability and Ross River virus transmission, **617**
- equality**, Genetics and social class, **529**
- equity of access**, Outreach and improved access to specialist services for indigenous people in remote Australia: the requirements for sustainability, **517**
- equity**, Equity in health, **483**  
Equity in prevention and health care, **510**  
Influence of patient gender on admission to intensive care, **418**  
The concern for equity in health, **485**  
The meaning and goals of equity in health, **488**
- ethics**, Ethics in epidemiology and public health II. Applied terms, **739**
- ethnicity**, Persistence of lower birth weight in second generation South Asian babies born in the United Kingdom, **684**
- Europe**, From North Sea to Black Sea: progress towards common public health practice, **162**
- evidence based medicine**, A population perspective to evidence based medicine: "evidence for population health", **45**
- evidence base**, A framework for the evidence base to support Health Impact Assessment, **132**
- exercise**, Is housework good for health? Levels of physical activity and factors associated with activity in elderly women. Results from the British Women's Heart and Health Study, **473**
- falls**, Bunk versus conventional beds: a comparative assessment of fall injury risk, **413**  
Depression and falls among community dwelling elderly people: a search for common risk factors, **631**
- familial hypercholesterolaemia**, Getting insurance after genetic screening on familial hypercholesterolaemia; the need to educate both insurers and the public to increase adherence to national guidelines in the Netherlands, **145**
- family activities**, Doing things together: adolescent health and family rituals, **89**
- family history**, Diabetes mellitus, family history, and colorectal cancer, **479**  
Diabetes mellitus, family history, and colorectal cancer, **479**
- family rituals**, Doing things together: adolescent health and family rituals, **89**
- fetal origins hypothesis**, Prenatal ultrasound biometry related to subsequent blood pressure in childhood, **713**
- flame retardants**, Low levels of persistent organic pollutants raise concerns for future generations, **826**
- food standards**, Food standards after the BSE Inquiry report...a worrying problem for public health, **803**  
Persistent organic pollutants: potential health effects?, **824**
- fortification**, Liberal fortification of foods: the risks. A study relating to Finland, **259**
- fracture rates**, Fracture rates lower in rural than urban communities: the Geelong Osteoporosis Study, **466**
- Framingham Study**, The internal validity of a dietary pattern analysis. The Framingham Nutrition Studies, **381**
- functional status**, Improved functional status in 16 years of follow up of middle aged and elderly men and women in north eastern Finland, **905**
- G7/G8 summit**, Health and development: How are the G7/G8 doing?, **322**
- gay men**, Re-emerging syphilis in gay men: a case-control study of behavioural risk factors and HIV status, **235**
- gender bias**, Influence of patient gender on admission to intensive care, **418**
- gender**, Employee control over working times: associations with subjective health and sickness absences, **272**  
Gender differences in clinical status at time of coronary revascularisation in Spain, **555**  
Gender differences in the management and outcome of patients with acute coronary artery disease, **791**  
Gender differences in weight related concerns in early to late adolescence, **700**  
Psychosocial risk factors at the workplace: is there enough evidence to establish reference values?, **244**  
Transitions to informal care in Great Britain during the 1990s, **579**
- genetics**, Genetics and social class, **529**
- globalisation**, Globalisation and public health, **8**  
Where is the real debate on globalisation?, **719**
- glossary**, Basic concepts in medical informatics, **808**  
Ethics in epidemiology and public health II. Applied terms, **739**  
Globalisation and public health, **8**
- HAART treatment**, Highly active antiretroviral treatment does not increase sexual risk behaviour among French HIV infected injecting drug users, **349**
- hair nicotine**, Is the hair nicotine level a more accurate biomarker of environmental tobacco smoke exposure than urine cotinine?, **66**
- handicap**, In the country of the blind?, **885**
- hay fever**, Does a higher number of siblings protect against the development of allergy and asthma? A review, **209**
- head injury**, Trends in head injury mortality among 0–14 year olds in Scotland (1986–95), **285**
- health assessment**, Description of a fitness to travel health assessment evaluation tool for displaced Albanian Kosovars in the former Yugoslav Republic of Macedonia, **238**
- health behaviour**, Early unemployment can contribute to adult health problems: results from a longitudinal study of school leavers, **624**  
Selection from fixed term to permanent employment: prospective study on health, job satisfaction, and behavioural risks, **693**
- health care utilisation**, Socioeconomic differences in children's use of physician services in the Nordic countries, **200**
- health care**, Socioeconomic variations in the course of stroke: unequal health outcomes, equal care?, **943**
- health expectancy**, Measuring the health burden of chronic disease and injury using health adjusted life expectancy and the Health Utilities Index, **843**
- health impact assessment**, A framework for the evidence base to support Health Impact Assessment, **132**
- health inequalities**, Change in health inequalities among British civil servants: the Whitehall II study, **922**  
Housing and inequalities in health: a study of socioeconomic dimensions of housing and self reported health from a survey of Vancouver residents, **671**  
Housing and inequalities in health, **645**
- health inequality**, A glossary for health inequalities, **647**  
Determinants of health inequalities by income from the 1980s to the 1990s in Finland, **442**  
Equity in health, **483**  
Health inequalities in Britain: continuing increases up to the end of the 20th century, **434**  
On the World Health Organisation's measurement of health inequalities, **177**  
The concern for equity in health, **485**  
The meaning and goals of equity in health, **488**
- health information**, Health information technologies: the citizen and the individual?, **882**
- health reform**, A minister of health, **891**  
An ideal minister of health, **890**  
My ideal minister of health, **889**  
The ideal health minister, **888**  
The ideal minister of health, **890**  
The ideal minister of health, **892**  
The ideal minister of health, **894**  
The ideal minister of (public) health, **888**  
Wanted: one ideal Canadian federal health minister (who walks on water), **893**
- health selection**, Selection from fixed term to permanent employment: prospective study on health, job satisfaction, and behavioural risks, **693**
- health services**, An "inverse satisfaction law"? Why don't older patients criticise health services?, **482**
- health status indicators**, Sampling variability of the Kunst-Mackenbach relative index of inequality, **762**
- health status**, Gender differences in the management and outcome of patients with acute coronary artery disease, **791**
- health surveys**, Health and demographic characteristics of respondents in an Australian national sexuality survey: comparison with population norms, **748**  
Neighbourhood socioeconomic context and self reported health and smoking: a secondary analysis of data on seven cities, **935**
- health system performance**, On the World Health Organisation's measurement of health inequalities, **177**
- health systems**, Implementation of a new health system in Colombia: Is this favourable for health determinants?, **742**
- healthcare affordability**, Economic transition should come with a health warning: the case of Vietnam, **497**
- health**, Parents' labour market participation as a predictor of children's health and wellbeing: a comparative study in five Nordic countries, **861**
- height**, Height, body mass index, and survival in men with coronary disease: follow up of the diet and reinfarction trial (DART), **218**
- heredity**, Genetics and social class, **529**
- history**, Origins and early history of the Society for Social Medicine in the UK and Ireland, **342**  
Society for Social Medicine 1977–1992, **347**
- HIV infection**, Highly active antiretroviral treatment does not increase sexual risk behaviour among French HIV infected injecting drug users, **349**
- HIV status**, Re-emerging syphilis in gay men: a case-control study of behavioural risk factors and HIV status, **235**

- HIV/AIDS**, Changing life expectancy in Romania after the transition, **444**
- HIV**, Activity of African-American female teenagers in black organisations is associated with STD/HIV protective behaviours: a prospective analysis, **549**  
Effectiveness of highly active antiretroviral therapy among HIV-1 infected women, **153**  
Factors associated with HIV infection are not the same for all women, **103**
- home affluence**, Assessing socioeconomic status in adolescents: the validity of a home affluence scale, **595**
- hospital costs**, Use of acute hospital beds does not increase as the population ages: results from a seven year cohort study in Germany, **289**
- hot temperature**, Impact of hot temperatures on death in London: a time series approach, **367**
- housework**, Is housework good for health? Levels of physical activity and factors associated with activity in elderly women. Results from the British Women's Heart and Health Study, **473**
- housing**, Housing and inequalities in health: a study of socioeconomic dimensions of housing and self reported health from a survey of Vancouver residents, **671**  
Housing and inequalities in health, **645**
- humanitarian evacuation**, Description of a fitness to travel health assessment evaluation tool for displaced Albanian Kosovars in the former Yugoslav Republic of Macedonia, **238**
- hyperglycaemia**, Short-term mortality of myocardial infarction patients with diabetes or hyperglycaemia during admission, **707**
- hypertension**, Acculturation status and hypertension among Asian immigrants in Canada, **455**
- hysterectomy**, Hysterectomy and socioeconomic position in Rome, Italy, **461**
- impact numbers**, Impact numbers in health policy decisions, **600**  
Impact numbers: measures of risk factor impact on the whole population from case-control and cohort studies, **606**
- impairment**, In the country of the blind?, **885**
- income inequality**, Inequality, residential segregation by income, and mortality in US cities, **183**  
Validation of self reported smoking, **163**
- income**, Determinants of health inequalities by income from the 1980s to the 1990s in Finland, **442**  
Income inequality and self rated health in Britain, **436**
- indigenous health**, Outreach and improved access to specialist services for indigenous people in remote Australia: the requirements for sustainability, **517**
- inequalities**, Income inequality and self rated health in Britain, **436**  
Trends in health inequalities by educational level in a Norwegian total population study, **375**  
Trends in infant mortality inequalities in the Americas: 1955–1995, **538**
- infant mortality**, Trends in infant mortality inequalities in the Americas: 1955–1995, **538**
- infectious diseases**, Educational level and mortality from infectious diseases, **682**  
Socioeconomic differences in children's and adolescents' hospital admissions in Germany: a report based on health insurance data on selected diagnostic categories, **109**
- influenza**, Confounding by indication in non-experimental evaluation of vaccine effectiveness: the example of prevention of influenza complications, **951**
- injuries**, Bunk versus conventional beds: a comparative assessment of fall injury risk, **413**  
Social aetiology of violent deaths in Swedish children and youth, **688**
- insurance**, Getting insurance after genetic screening on familial hypercholesterolaemia; the need to educate both insurers and the public to increase adherence to national guidelines in the Netherlands, **145**
- intensive care**, Influence of patient gender on admission to intensive care, **418**
- internal validity**, The internal validity of a dietary pattern analysis. The Framingham Nutrition Studies, **381**
- international comparisons**, Health inequalities by education and age in four Nordic countries, 1986 and 1994, **253**
- international migration**, Migration and mortality: a 20 year follow up of Finnish twin pairs with migrant co-twins in Sweden, **362**
- intervention trial**, Evidence based educational outreach visits: effects on prescriptions of non-steroidal anti-inflammatory drugs, **653**
- intrauterine growth**, Prenatal ultrasound biometry related to subsequent blood pressure in childhood, **713**
- Inuit**, Higher blood pressure among Inuit migrants in Denmark than among the Inuit in Greenland, **279**
- invasive coronary procedure**, Differential effect of socioeconomic status on rates of invasive coronary procedures across the public and private sectors in Queensland, Australia, **233**
- ischaemic stroke**, Sexual intercourse and risk of ischaemic stroke and coronary heart disease: the Caerphilly study, **99**
- job insecurity**, Effects of chronic job insecurity and change in job security on self reported health, minor psychiatric morbidity, physiological measures, and health related behaviours in British civil servants: the Whitehall II study, **450**  
The consequences of flexible work for health: are we looking at the right place?, **405**
- job strain**, Psychosocial work environment and myocardial infarction: improving risk estimation by combining two complementary job stress models in the SHEEP Study, **294**
- job stress, effort-reward imbalance**, Psychosocial work environment and myocardial infarction: improving risk estimation by combining two complementary job stress models in the SHEEP Study, **294**
- kinship**, Transitions to informal care in Great Britain during the 1990s, **579**
- leukaemia**, Exposure to extremely low frequency magnetic fields among primary school children in Spain, **432**
- life cycle**, Doing things together: adolescent health and family rituals, **89**
- life expectancy**, Changing life expectancy in Romania after the transition, **444**  
Long term mortality trends behind low life expectancy of Danish women, **205**  
Measuring the health burden of chronic disease and injury using health adjusted life expectancy and the Health Utilities Index, **843**
- limiting long term illness**, Interrelations between three proxies of health care need at the small area level: an urban/rural comparison, **754**
- limiting longstanding illness**, Class differences in the social consequences of illness?, **188**
- linkage analysis**, Estimation of the prevalence of diagnosed diabetes from primary care and secondary care source data: comparison of record linkage with capture-recapture analysis, **18**
- longitudinal study**, Change in health inequalities among British civil servants: the Whitehall II study, **922**  
Effects of chronic job insecurity and change in job security on self reported health, minor psychiatric morbidity, physiological measures, and health related behaviours in British civil servants: the Whitehall II study, **450**  
Health and greening the city, **896**  
Health and greening the city, **897**  
Urban residential environments and senior citizens' longevity in megacity areas: the importance of walkable green spaces, **913**  
Use of acute hospital beds does not increase as the population ages: results from a seven year cohort study in Germany, **289**
- lung cancer**, Lung cancer: district active treatment rates affect survival, **424**
- magnetic fields**, Exposure to extremely low frequency magnetic fields among primary school children in Spain, **432**
- malnutrition**, Persistent organic pollutants in food supplies, **820**
- marital status**, Collecting information on marital status: a methodological note, **175**  
Marital confusion, **958**
- marriage**, A cancer survival model that takes sociodemographic variations in "normal" mortality into account: comparison with other models, **309**
- Massachusetts**, Smoke and mirrors: how Massachusetts diverted millions in tobacco tax revenues, **522**
- mathematical model, health impact assessment**, A health impact assessment model for environmental changes attributable to development projects, **611**
- medical informatics**, Basic concepts in medical informatics, **808**
- medical model**, In the country of the blind?, **885**
- medical record linkage**, Comparing hospital discharge records with death certificates: Can the differences be explained?, **301**
- mental health**, So simple and so meaningful: An approach to mental health after violence, **642**
- migrants**, Higher blood pressure among Inuit migrants in Denmark than among the Inuit in Greenland, **279**
- milk**, Milk and coronary heart disease mortality, **319**  
Milk and coronary heart disease mortality, **319**  
Milk, dairy products, and coronary heart disease, **471**  
The connection between milk and mortality from coronary heart disease, **958**
- minister of health**, A minister of health, **891**  
An ideal minister of health, **890**  
My ideal minister of health, **889**  
The ideal health minister, **888**  
The ideal minister of health, **890**  
The ideal minister of health, **892**  
The ideal minister of health, **894**  
The ideal minister of (public) health, **888**  
Wanted: one ideal Canadian federal health minister (who walks on water), **893**

- molecular epidemiology**, Incomplete overlapping of biological, clinical, and environmental information in molecular epidemiological studies: a variety of causes and a cascade of consequences, **734**  
Molecular biomarkers in studies on environmental cancer, **730**  
The science and art of molecular epidemiology, **728**
- morbidity**, Measuring the health burden of chronic disease and injury using health adjusted life expectancy and the Health Utilities Index, **843**  
Socioeconomic differences in children's and adolescents' hospital admissions in Germany: a report based on health insurance data on selected diagnostic categories, **109**
- mortality**, Body mass index in young adulthood and cancer mortality: a retrospective cohort study, **780**  
Educational level and mortality from infectious diseases, **682**  
How to measure the burden of mortality?, **128**  
Inequalities in mortality in shrinking and growing areas, **919**  
Inequality, residential segregation by income, and mortality in US cities, **183**  
Interrelations between three proxies of health care need at the small area level: an urban/rural comparison, **754**  
Long term mortality trends behind low life expectancy of Danish women, **205**  
Migration and mortality: a 20 year follow up of Finnish twin pairs with migrant co-twins in Sweden, **362**  
Mortality and bioclimatic discomfort in Emilia-Romagna, Italy, **536**  
Relation of occupational class and education with mortality in Korea, **798**  
Short-term mortality of myocardial infarction patients with diabetes or hyperglycaemia during admission, **707**  
Trends in head injury mortality among 0–14 year olds in Scotland (1986–95), **285**  
Validation of self reported smoking, **163**
- multi-disciplinary**, Developing a multi-disciplinary public health specialist workforce: training implications of current UK policy, **744**
- multilevel analysis**, A glossary for multilevel analysis, **588**
- multilevel discrete choice models**, Smoking in young adolescents: an approach with multilevel discrete choice models, **227**
- myocardial infarction**,  $\gamma$ -Glutamyltransferase and risk of stroke: the EUROSTROKE project, **i25**  
Importance of light smoking and inhalation habits on risk of myocardial infarction and all cause mortality. A 22 year follow up of 12 149 men and women in The Copenhagen City Heart Study, **702**  
Myocardial infarction in an urban population: worse long term prognosis for patients from less affluent residential areas, **785**  
Psychosocial work environment and myocardial infarction: improving risk estimation by combining two complementary job stress models in the SHEEP Study, **294**  
Short-term mortality of myocardial infarction patients with diabetes or hyperglycaemia during admission, **707**  
Socioeconomic context in area of living and risk of myocardial infarction: results from Stockholm Heart Epidemiology Program (SHEEP), **29**  
The EUROSTROKE cohorts: a short description and data analytical approach, **i2**  
Total and HDL cholesterol and risk of stroke. EUROSTROKE: a collaborative study among research centres in Europe, **i19**
- National Service Framework**, Developing a National Service Framework for older people, **841**
- neighbourhood**, Development and validation of an instrument to measure perceived neighbourhood quality in Taiwan, **492**  
Neighbourhood socioeconomic context and self reported health and smoking: a secondary analysis of data on seven cities, **935**
- noise**, Multilevel modelling of aircraft noise on performance tests in schools around Heathrow Airport London, **139**
- non-Hodgkin's lymphoma**, Persistent organic pollutants in food: public health implications, **831**
- non-response**, Health and demographic characteristics of respondents in an Australian national sexuality survey: comparison with population norms, **748**
- nuclear weapons**, Health for all in the new millennium, **732**
- nutritional deficiencies**, Persistent organic pollutants in food supplies, **820**
- nutrition**, Nutritional transition: a public health challenge in developing countries, **804**
- obesity**, Persistent organic pollutants in food supplies, **820**  
The size of obesity differences associated with educational level in Spain, 1987 and 1995/97, **457**
- observational studies**, Confounding by indication in non-experimental evaluation of vaccine effectiveness: the example of prevention of influenza complications, **951**
- obstetric intervention**, Time of day variation in rates of obstetric intervention to assist in vaginal delivery, **577**
- occupational class**, Relation of occupational class and education with mortality in Korea, **798**
- occupational structure**, Trends in coronary mortality and community services, associated with occupational structure in New York State, 1980–96, **868**
- opioids**, Policy response to opioid misuse in Dublin, **6**
- organ donation**, Alder Hey, **4**
- organochlorine insecticide residues**, Organochlorine residues pose surprisingly high dietary risks, **822**
- osteoporosis**, Fracture rates lower in rural than urban communities: the Geelong Osteoporosis Study, **466**
- Pan American Health Organization**, Priorities of the candidates for the post of Director of the Pan American Health Organization (PAHO), **643**  
Priorities of the candidates for the post of Director of the Pan American Health Organization (PAHO), **643**  
Priorities of the candidates for the post of Director of the Pan American Health Organization (PAHO), **643**
- pathology**, Alder Hey, **4**
- peer review**, An evaluation of clinical governance in the public health departments of the West Midlands Region, **563**
- performance**, Multilevel modelling of aircraft noise on performance tests in schools around Heathrow Airport London, **139**
- perimenopause**, Lifetime socioeconomic position in relation to onset of perimenopause, **851**
- persistent organic pollutants**, Bovine spongiform encephalopathy, persistent organic pollutants, and the achievable utopias, **806**  
Food contamination with polychlorinated biphenyls and dioxins in Belgium. Effects on the body burden, **828**  
Low levels of persistent organic pollutants raise concerns for future generations, **826**  
Persistent organic pollutants exposure assessment using the US Total Diet Study, **818**  
Persistent organic pollutants in food: public health implications, **831**  
Persistent organic pollutants in food supplies, **820**  
Persistent organic pollutants: potential health effects?, **824**  
Persistent toxic chemicals in the US food supply, **813**  
Persistent toxic chemicals: more than Stockholm persistent organic pollutants, **833**
- persistent toxic substances**, Persistent toxic chemicals: more than Stockholm persistent organic pollutants, **833**
- pesticides**, Organochlorine residues pose surprisingly high dietary risks, **822**
- physical activity**, Can lay-led walking programmes increase physical activity in middle aged adults? A randomised controlled trial, **246**  
"Walk in to Work Out": a randomised controlled trial of a self help intervention to promote active commuting, **407**
- plastics**, Low levels of persistent organic pollutants raise concerns for future generations, **826**
- policy**, Impact numbers in health policy decisions, **600**
- politics**, How exactly do politics play a part in determining health? New perspectives on an age old issue, **726**  
Is there a causal association between suicide rates and the political leanings of government?, **722**  
Mortality and political climate: how suicide rates have risen during periods of Conservative government, 1901–2000, **723**  
Political regime and suicide: some relevant variables to be considered, **727**  
Suicide and political regime in New South Wales and Australia during the 20th century, **766**
- polybrominated biphenyl ethers**, Food contamination with polychlorinated biphenyls and dioxins in Belgium. Effects on the body burden, **828**
- polybrominated diphenyl ethers**, Low levels of persistent organic pollutants raise concerns for future generations, **826**
- polychlorinated biphenyls**, Food contamination with polychlorinated biphenyls and dioxins in Belgium. Effects on the body burden, **828**
- population change**, Inequalities in mortality in shrinking and growing areas, **919**
- population health**, Housing and inequalities in health: a study of socioeconomic dimensions of housing and self reported health from a survey of Vancouver residents, **671**
- population**, Types of alcoholic beverages and blood lipids in a French population, **24**
- postcode areas**, Socioeconomic status of very small areas and stroke incidence in the Netherlands, **637**
- precautionary principle**, The precautionary principle and epidemiology: a contradictio in terminis?, **883**
- prediction**, Prediction of stroke in the general population in Europe (EUROSTROKE): Is there a role for fibrinogen and electrocardiography?, **i30**
- pre-eclampsia**, The relation between maternal work, ambulatory blood pressure, and pregnancy hypertension, **389**
- preventive medicine**, Equity in prevention and health care, **510**
- primary care**, Can lay-led walking programmes increase physical activity in middle aged adults? A randomised controlled trial, **246**

- Depression and falls among community dwelling elderly people: a search for common risk factors, **631**
- Evidence based educational outreach visits: effects on prescriptions of non-steroidal anti-inflammatory drugs, **653**
- profiles of health**, Social class gradients in health during adolescence, **354**
- prospective cohort study**, Lifetime socioeconomic position in relation to onset of perimenopause, **851**
- psychiatric disorder**, Which measure of adolescent psychiatric disorder—diagnosis, number of symptoms, or adaptive functioning—best predicts adverse young adult outcomes?, **56**
- psychiatric disorders**, Socioeconomic differences in children's and adolescents' hospital admissions in Germany: a report based on health insurance data on selected diagnostic categories, **109**
- psychological symptoms**, Early unemployment can contribute to adult health problems: results from a longitudinal study of school leavers, **624**
- public health intervention**, Criteria for evaluating evidence on public health interventions, **119**
- The evidence debate, **83**
- public health practice**, From North Sea to Black Sea: progress towards common public health practice, **162**
- public health surveillance**, Understanding the basic concepts of public health surveillance, **402**
- public health**, Health for all in the new millennium, **732**
- Maria Isabel Rodríguez. A lady of public health, **882**
- quality assurance**, An evaluation of clinical governance in the public health departments of the West Midlands Region, **563**
- quality control**, Comparing hospital discharge records with death certificates: Can the differences be explained?, **301**
- Question 1**, Smoke and mirrors: how Massachusetts diverted millions in tobacco tax revenues, **522**
- questionnaires**, Marital confusion, **958**
- Marital confusion, **958**
- The cost of questionnaire based research, **956**
- randomised controlled trial**, Can lay-led walking programmes increase physical activity in middle aged adults? A randomised controlled trial, **246**
- record linkage**, Appendectomy, tonsillectomy, and inflammatory bowel disease: a case-control record linkage study, **551**
- refugee**, Description of a fitness to travel health assessment evaluation tool for displaced Albanian Kosovars in the former Yugoslav Republic of Macedonia, **238**
- reminder systems**, Telephone reminders are a cost effective way to improve responses in postal health surveys, **115**
- reproductive health**, Lifetime socioeconomic position in relation to onset of perimenopause, **851**
- research**, The cost of questionnaire based research, **956**
- residential segregation**, Validation of self reported smoking, **163**
- respiratory illnesses**, Air pollution and general practice consultations for respiratory illnesses, **949**
- risk assessment**, Persistent organic pollutants: potential health effects?, **824**
- risk factors**, Depression and falls among community dwelling elderly people: a search for common risk factors, **631**
- risk**, A health impact assessment model for environmental changes attributable to development projects, **611**
- Impact numbers in health policy decisions, **600**
- Impact numbers: measures of risk factor impact on the whole population from case-control and cohort studies, **606**
- Influence of driver nationality on the risk of causing vehicle collisions in Spain, **394**
- road traffic accidents**, Socioeconomic differences in road traffic injuries, **719**
- Ross River virus**, Climate variability and Ross River virus transmission, **617**
- rurality**, Rurality, deprivation, and excess winter mortality: an ecological study, **373**
- Russia**, Is the link between alcohol and cardiovascular death among young Russian men attributable to misclassification of acute alcohol intoxication? Evidence from the city of Izhevsk, **171**
- schools**, Smoking in young adolescents: an approach with multilevel discrete choice models, **227**
- screening**, Cancer screening, **899**
- Getting insurance after genetic screening on familial hypercholesterolaemia; the need to educate both insurers and the public to increase adherence to national guidelines in the Netherlands, **145**
- segregation**, Inequality, residential segregation by income, and mortality in US cities, **183**
- self rated health**, Income inequality and self rated health in Britain, **436**
- Selection from fixed term to permanent employment: prospective study on health, job satisfaction, and behavioural risks, **693**
- self reported health**, Neighbourhood socioeconomic context and self reported health and smoking: a secondary analysis of data on seven cities, **935**
- self reported morbidity**, Trends in socioeconomic health inequalities in the Netherlands, 1981–1999, **927**
- senior citizens**, Health and greening the city, **896**
- Health and greening the city, **897**
- Urban residential environments and senior citizens' longevity in megacity areas: the importance of walkable green spaces, **913**
- sensitivity analysis**, Long term mortality trends behind low life expectancy of Danish women, **205**
- serum insulin**, Alcohol consumption and the incidence of type II diabetes, **542**
- sex ratio**, Changing sex ratio in Iran, 1976–2000, **622**
- sex workers**, Out of the sauna: sexual health promotion with “off street” sex workers, **903**
- sexual assault**, Sexual assault among North Carolina women: prevalence and health risk factors, **265**
- Violence against women: a global public health issue!, **242**
- sexual behaviours**, Activity of African-American female teenagers in black organisations is associated with STD/HIV protective behaviours: a prospective analysis, **549**
- sexual health promotion**, Out of the sauna: sexual health promotion with “off street” sex workers, **903**
- sexual intercourse**, Sexual intercourse and risk of ischaemic stroke and coronary heart disease: the Caerphilly study, **99**
- sexual risk behaviours**, Highly active antiretroviral treatment does not increase sexual risk behaviour among French HIV infected injecting drug users, **349**
- sexuality**, Health and demographic characteristics of respondents in an Australian national sexuality survey: comparison with population norms, **748**
- sibling**, Does a higher number of siblings protect against the development of allergy and asthma? A review, **209**
- simulation**, Liberal fortification of foods: the risks. A study relating to Finland, **259**
- skin prick test**, Does a higher number of siblings protect against the development of allergy and asthma? A review, **209**
- sleep**, Bunk versus conventional beds: a comparative assessment of fall injury risk, **413**
- small area analysis**, Sampling variability of the Kunst-Mackenbach relative index of inequality, **762**
- small area effects**, Neighbourhood level versus individual level correlates of women's body dissatisfaction: toward a multilevel understanding of the role of affluence, **193**
- smoking**, Importance of light smoking and inhalation habits on risk of myocardial infarction and all cause mortality. A 22 year follow up of 12 149 men and women in The Copenhagen City Heart Study, **702**
- Neighbourhood socioeconomic context and self reported health and smoking: a secondary analysis of data on seven cities, **935**
- Smoking in young adolescents: an approach with multilevel discrete choice models, **227**
- Tobacco smoking and bladder cancer in coffee non-drinkers, **78**
- Validation of self reported smoking by serum cotinine measurement in a community-based study, **167**
- Validation of self reported smoking, **163**
- SMR**, Indicators of deprivation, voting patterns, and health status at area level in the Republic of Ireland, **36**
- social capital**, Development and validation of an instrument to measure perceived neighbourhood quality in Taiwan, **492**
- Indicators of deprivation, voting patterns, and health status at area level in the Republic of Ireland, **36**
- social class gradients**, Social class gradients in health during adolescence, **354**
- social class**, Genetics and social class, **529**
- Lifetime socioeconomic position in relation to onset of perimenopause, **851**
- Power, politics, and social class, **562**
- social cohesion**, Social cohesion and meeting places, **482**
- social consequences**, Class differences in the social consequences of illness?, **188**
- social differences**, The size of obesity differences associated with educational level in Spain, 1987 and 1995/97, **457**
- social inequality**, Socioeconomic differences in children's and adolescents' hospital admissions in Germany: a report based on health insurance data on selected diagnostic categories, **109**
- social influences**, Social influences on birth weight, **326**
- social medicine**, Origins and early history of the Society for Social Medicine in the UK and Ireland, **342**
- Society for Social Medicine 1977–1992, **347**
- social model**, In the country of the blind?, **885**
- social organisations**, Activity of African-American female teenagers in black organisations is associated with STD/HIV protective behaviours: a prospective analysis, **549**
- sociodemographic factors**, Sociodemographic differences in the occurrence of teenage pregnancies in Finland in 1987–1998: a follow up study, **659**
- socioeconomic deprivation**, Socioeconomic context in area of living and risk of myocardial infarction: results from Stockholm Heart Epidemiology Program (SHEEP), **29**
- socioeconomic determinants**, Socioeconomic differences in road traffic injuries, **719**

- socioeconomic distribution**, On the World Health Organisation's measurement of health inequalities, **177**
- socioeconomic factors**, Equity in prevention and health care, **510**  
Myocardial infarction in an urban population: worse long term prognosis for patients from less affluent residential areas, **785**  
Sampling variability of the Kunst-Mackenbach relative index of inequality, **762**  
Social aetiology of violent deaths in Swedish children and youth, **688**  
Socioeconomic differences in children's use of physician services in the Nordic countries, **200**  
Trends in socioeconomic health inequalities in the Netherlands, 1981–1999, **927**
- socioeconomic inequality**, Socioeconomic variations in the course of stroke: unequal health outcomes, equal care?, **943**
- socioeconomic position**, Class differences in the social consequences of illness?, **188**  
Hysterectomy and socioeconomic position in Rome, Italy, **461**  
Lifetime socioeconomic position in relation to onset of perimenopause, **851**  
Socioeconomic context in area of living and risk of myocardial infarction: results from Stockholm Heart Epidemiology Program (SHEEP), **29**
- socioeconomic status**, Assessing socioeconomic status in adolescents: the validity of a home affluence scale, **595**  
Differential effect of socioeconomic status on rates of invasive coronary procedures across the public and private sectors in Queensland, Australia, **233**  
Socioeconomic status of very small areas and stroke incidence in the Netherlands, **637**  
Trends in health inequalities by educational level in a Norwegian total population study, **375**
- somatic symptoms**, Early unemployment can contribute to adult health problems: results from a longitudinal study of school leavers, **624**
- Speaker's corner**, Health and development: How are the G7/G8 doing?, **322**  
Understanding the basic concepts of public health surveillance, **402**
- specialist outreach**, Outreach and improved access to specialist services for indigenous people in remote Australia: the requirements for sustainability, **517**
- Stockholm Convention**, Food contamination with polychlorinated biphenyls and dioxins in Belgium. Effects on the body burden, **828**  
Persistent organic pollutants in food supplies, **820**  
Persistent organic pollutants: potential health effects?, **824**  
Persistent toxic chemicals in the US food supply Guest Editor: M Porta; Assistant Editor: E Zumeta, **813**
- stress**, Limitations of adjustment for reporting tendency in observational studies of stress and self reported coronary heart disease, **76**  
Stress and suicide in the Nurses' Health Study, **95**
- stroke, cardiovascular disease**, Prediction of stroke in the general population in Europe (EUROSTROKE): Is there a role for fibrinogen and electrocardiography?, **i30**
- stroke incidence**, Socioeconomic status of very small areas and stroke incidence in the Netherlands, **637**
- stroke**, Socioeconomic variations in the course of stroke: unequal health outcomes, equal care?, **943**
- suicide**, How exactly do politics play a part in determining health? New perspectives on an age old issue, **726**  
Is there a causal association between suicide rates and the political leanings of government?, **722**  
Mortality and political climate: how suicide rates have risen during periods of Conservative government, 1901–2000, **723**  
Political regime and suicide: some relevant variables to be considered, **727**  
Social aetiology of violent deaths in Swedish children and youth, **688**  
Stress and suicide in the Nurses' Health Study, **95**  
Suicide and political regime in New South Wales and Australia during the 20th century, **766**  
Suicide in doctors, **237**
- survival**, Lung cancer: district active treatment rates affect survival, **424**  
Myocardial infarction in an urban population: worse long term prognosis for patients from less affluent residential areas, **785**
- synthetic musks**, Low levels of persistent organic pollutants raise concerns for future generations, **826**
- syphilis**, Re-emerging syphilis in gay men: a case-control study of behavioural risk factors and HIV status, **235**
- systematic review**, Taking STOX: developing a cross disciplinary methodology for systematic reviews of research on the built environment and the health of the public, **48**
- technology**, Health information technologies: the citizen and the individual?, **882**
- telephone**, Telephone reminders are a cost effective way to improve responses in postal health surveys, **115**
- terrorism**, New York besieged: 11 September and after, **2**
- textiles**, Low levels of persistent organic pollutants raise concerns for future generations, **826**
- time of day**, Time of day variation in rates of obstetric intervention to assist in vaginal delivery, **577**
- time series analysis**, Impact of hot temperatures on death in London: a time series approach, **367**
- time series analysis**, Climate variability and Ross River virus transmission, **617**
- tobacco tax**, Smoke and mirrors: how Massachusetts diverted millions in tobacco tax revenues, **522**
- tobacco**, Smoking in young adolescents: an approach with multilevel discrete choice models, **227**
- toxicity**, Organochlorine residues pose surprisingly high dietary risks, **822**
- traditional birth attendants**, Do we need them? Working with traditional birth attendants in the Andes, **562**
- traditional healers**, Traditional healers, still part of the community health systems in the Andes, **733**
- traffic**, Influence of driver nationality on the risk of causing vehicle collisions in Spain, **394**
- training**, Developing a multi-disciplinary public health specialist workforce: training implications of current UK policy, **744**
- transitional economies**, Economic transition should come with a health warning: the case of Vietnam, **497**
- transport**, "Walk in to Work Out": a randomised controlled trial of a self help intervention to promote active commuting, **407**
- travel**, Description of a fitness to travel health assessment evaluation tool for displaced Albanian Kosovars in the former Yugoslav Republic of Macedonia, **238**
- treatment**, Gender differences in the management and outcome of patients with acute coronary artery disease, **791**
- trends**, Trends in socioeconomic health inequalities in the Netherlands, 1981–1999, **927**
- twin study**, Migration and mortality: a 20 year follow up of Finnish twin pairs with migrant co-twins in Sweden, **362**
- type II diabetes**, Alcohol consumption and the incidence of type II diabetes, **542**
- ulcerative colitis**, Appendectomy, tonsillectomy, and inflammatory bowel disease: a case-control record linkage study, **551**
- unemployment**, Parents' labour market participation as a predictor of children's health and wellbeing: a comparative study in five Nordic countries, **861**
- urban residential areas**, Health and greening the city, **896**  
Health and greening the city, **897**
- urban residential environment**, Health and greening the city, **896**  
Health and greening the city, **897**  
Urban residential environments and senior citizens' longevity in megacity areas: the importance of walkable green spaces, **913**
- urban/rural**, Fracture rates lower in rural than urban communities: the Geelong Osteoporosis Study, **466**
- urine cotinine**, Is the hair nicotine level a more accurate biomarker of environmental tobacco smoke exposure than urine cotinine?, **66**
- vaccination**, Francisco Xavier Balmis (1753–1819), a pioneer of international vaccination, **802**
- vaccine**, Confounding by indication in non-experimental evaluation of vaccine effectiveness: the example of prevention of influenza complications, **951**
- vaginal delivery**, Time of day variation in rates of obstetric intervention to assist in vaginal delivery, **577**
- vector borne disease**, Climate variability and Ross River virus transmission, **617**
- violence**, Sexual assault among North Carolina women: prevalence and health risk factors, **265**  
Violence against women: a global public health issue!, **242**
- voting pattern**, Indicators of deprivation, voting patterns, and health status at area level in the Republic of Ireland, **36**
- wellbeing**, Employee control over working times: associations with subjective health and sickness absences, **272**  
Psychosocial risk factors at the workplace: is there enough evidence to establish reference values?, **244**
- wheezing**, Does a higher number of siblings protect against the development of allergy and asthma? A review, **209**
- white collar**, Effects of chronic job insecurity and change in job security on self reported health, minor psychiatric morbidity, physiological measures, and health related behaviours in British civil servants: the Whitehall II study, **450**
- WHO**, On the World Health Organisation's measurement of health inequalities, **177**
- winter mortality**, Rurality, deprivation, and excess winter mortality: an ecological study, **373**
- women**, Factors associated with HIV infection are not the same for all women, **103**  
Sexual assault among North Carolina women: prevalence and health risk factors, **265**  
Stress and suicide in the Nurses' Health Study, **95**  
Violence against women: a global public health issue!, **242**
- women's health**, Lifetime socioeconomic position in relation to onset of perimenopause, **851**

**working conditions**, Effect of de-industrialisation on working conditions and self reported health in a sample of manufacturing workers, **506**  
The consequences of flexible work for health: are we looking at the right place?, **405**

**work**, The relation between maternal work, ambulatory blood pressure, and pregnancy hypertension, **389**

**worktime**, Employee control over working times: associations with subjective health and sickness absences, **272**  
Psychosocial risk factors at the workplace: is there enough evidence to establish reference values?, **244**