

Appendix 1. Age distribution of the respondents of the six WHO-SAGE countries

	China		Ghana		India		Mexico		Russian Federation		South Africa	
	n=5988	n=6796	n=2224	n=2014	n=3215	n=3065	n=854	n=1286	n=1288	n=2333	n=1582	n=2125
	Men (%)	Women (%)	Men (%)	Women (%)	Men (%)	Women (%)	Men (%)	Women (%)	Men (%)	Women (%)	Men (%)	Women (%)
50-54 year	22.6	21.2	21.1	19.6	23.1	25.0	28.0	27.1	26.6	22.0	28.4	28.8
55-59 year	24.5	22.4	19.7	19.8	26.8	23.7	22.8	21.7	27.2	20.3	23.4	19.5
60-64 year	17.8	16.9	14.1	15.4	15.1	18.2	14.6	14.4	12.6	11.0	18.2	16.0
65-69 year	14.8	14.6	12.7	12.8	14.8	13.8	12.0	10.6	12.6	13.8	12.6	15.1
70-74 year	9.9	12.1	14.0	15.1	10.6	10.6	7.1	8.0	7.6	11.3	8.0	8.5
75-79 year	6.6	8.1	8.4	8.5	6.0	3.8	8.1	11.7	8.1	12.8	3.5	6.9
80-84 year	2.9	3.4	4.6	4.4	2.5	3.0	4.0	5.1	3.7	5.6	3.4	3.2
85+ year	0.9	1.3	5.5	4.4	1.1	2.0	3.5	1.6	1.7	3.2	2.5	2.1

Appendix 3. Disability free life expectancy at specific age group for men and women in the WHO-SAGE countries.

	China		Ghana		India		Mexico		Russian Federation		South Africa	
	n=5988	n=6796	n=2224	n=2014	n=3215	n=3065	n=854	n=1286	n=1288	n=2333	n=1582	n=2125
	Men	Women	Men	Women	Men	Women	Men	Women	Men	Women	Men	Women
50-54 year	22.2	22.9	12.8	11.3	11.8	8.4	18.9	16.8	15.5	17.2	12.2	11.8
55-59 year	18.1	18.7	10.0	8.7	8.9	6.4	15.3	12.9	12.3	13.1	9.7	9.4
60-64 year	14.3	14.8	7.5	6.4	6.5	4.4	11.9	10.1	9.4	9.6	7.7	7.6
65-69 year	10.8	11.1	5.4	4.4	4.6	2.8	8.8	7.3	6.8	6.7	5.7	5.6
70-74 year	7.9	7.7	3.8	2.8	3.1	1.9	6.1	5.0	4.6	4.2	4.1	4.2
75-79 year	5.2	4.7	2.7	1.6	2.0	1.2	4.5	3.4	2.9	2.2	2.7	2.7
80-84 year	3.0	2.6	1.8	0.7	1.1	0.8	2.4	1.2	1.7	1.0	1.3	1.7
85+ year	1.0	0.9	0.6	0.3	0.3	0.2	0.7	0.3	0.9	0.4	0.7	0.6