

NOTICE TO CONTRIBUTORS

THE BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE is intended for the publication of original work in the field. Contributions in the English language from workers of any nationality may be considered for publication.

As understood by those who are responsible for this Journal, social medicine is that branch of science which is concerned with: (a) biological needs, interactions, disabilities, and potentialities of human beings living in social aggregates; (b) numerical, structural, and functional changes of human populations in their biological and medical aspects. To a large extent its methods must necessarily be statistical, involving the use of numerical data obtained either from official sources or from special field investigations, and interpreted in the light of established findings of the laboratory and of the clinic. Social medicine takes within its province the study of all environmental agencies, living and non-living, relevant to health and efficiency, also fertility and population genetics, norms and ranges of variation with respect to individual differences, and investigations directed to the assessment of a regimen of positive health.

All papers submitted for publication and all other editorial matters should be addressed to The Editors, BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE, c/o British Medical Association, Tavistock Square, London, W.C.1.

Papers are accepted on the understanding that they are subject to editorial revision, and that they are contributed to this Journal only. The Editors cannot undertake correspondence about papers returned as unsuitable on the advice of members of the Editorial Board.

Adequate reference should be made to previous work on the subject of the paper. A summary of observations and conclusions must be given.

Papers sent for publication must be typewritten on one side of the paper only, with double spacing and with a margin of at least $1\frac{1}{4}$ inches. Illustrations should be used sparingly. Photographs should be printed on glossy paper and should be a little larger than the size desired for reproduction. Drawings and diagrams should be done in black ink on tracing linen, Bristol board, or stout, white paper. Any lettering on these drawings should be lightly inserted in pencil. The setting up of type by the printers will be much facilitated if attention is paid to the proportions of the standard page measurements. The Editors express the hope that contributors will study the conventions of shading and design of charts employed in the Journal with a view to standardizing visual symbols for ready recognition.

References should be arranged alphabetically at the end of the paper according to the Harvard system. If the reference is to a book, the place of publication, the number of the edition, and the page number should be given. In the text the year of publication must follow the author's name, more than one paper in any one year being indicated by a small letter (a, b, c) after the date. The reference should be given as follows: author's name, initials, year of publication (in parentheses), title of periodical (in italics, abbreviated according to the *World List of Scientific Periodicals*), volume number (bold type arabic numerals), and first page number (ordinary type arabic numerals); book titles (in roman and inverted commas), followed by publisher, place of publication, etc.:

- Engle, E. T., and Shelesnyak, M. C. (1934). *Hum. Biol.*, 6, 431.
Fluhmann, C. F. (1936). *Amer. J. Obstet. Gynec.*, 31, 573.
— (1939). "Menstrual Disorders." W. B. Saunders, Philadelphia.
Gómez, F. D. (1942). *Hoja fisiol.*, 2, 25.

Contributors will receive one proof, but it is assumed that all but verbal corrections will have been made in the original manuscript; an allowance at the rate of ten shillings per sheet of sixteen pages is made for alterations in the proof (printer's errors excepted), and contributors will be responsible for any excess.

Twenty-five reprints of papers will, if desired, be provided free. A limited number of additional reprints at cost price can be supplied if application is made when returning proofs. An estimate of the cost will be given on application to the Publishing Manager, British Medical Association.

The Journal will be published quarterly.

Papers which have appeared in THE BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE remain the property of the Journal, and permission to republish them must be obtained from the Editors.

Applications for advertisement space should be addressed to the Advertisement Manager, British Medical Association, Tavistock Square, London, W.C.1.

NOTICE TO SUBSCRIBERS

Subscriptions (£2 2s. 0d. per annum) are payable to the British Medical Association.

INDEX TO VOLUME VIII, 1954

- ABO blood groups and sex-ratio, 124
 Abortion, 120
 ACHESON, R. M., and HEWITT, D.: Oxford Child Health Survey.
 Stature and skeletal maturation in the pre-school child, 59
 Age, body-weight of men related to, 99
 —, chest girth of men related to, 108
 —, maternal, in relation to incidence of anencephalus, spina bifida,
 and hydrocephalus, 17
 — and fertility, 176
 Aged in Dorset: socio-medical survey, 139
 Anencephalus, incidence related to birth rank and maternal age, 17
 Antioxidant, bladder tumours caused by, 39

 Beds, emergency, provision in hospitals, 77
 Belfast, breast-feeding in, 51
 BILLEWICZ, W. Z.: *see* ILLSLEY, R., BILLEWICZ, W. Z., and THOMSON,
 A. M.
 Birmingham region, mental deficiency institutions in, 162
 —, — hospitals in, 29
 —, nurse training schools, entrants to and student-nurse wastage
 in, 77
 —, tuberculosis mortality rates in, 91
 Birth, premature, 153
 — rank, incidence of anencephalus, spina bifida and hydrocephalus
 related to, 17
 —, — of infection and, 26
 —, — infant feeding and, 51
 —, — mortality and, 26
 —, — sex-ratio and, 126
 —, — weight of infant and, 66
 Birth rates in local government areas of England and Wales, 1951, 182
 Bladder tumour as occupational disease in the rubber industry, 39
 Blood group, ABO system and sex ratio, 117, 124
 Body-weight of men related to chest girth, 108
 — — stature, age, and social status, 99
 Breast-feeding in Belfast, 51

 CAMERON, D.: Admissions to Scottish mental hospitals in last
 hundred years, 180
 CAMPBELL, W. A. B., and CHEESEMAN, E. A.: Some aspects of breast-
 feeding in Belfast, 51
 Carcinoma of bladder in rubber industry, 39
 CASE, R. A. M., and HOSKER, M. E.: Tumour of the urinary bladder
 as an occupational disease in the rubber industry in England and
 Wales, 39
 CAWLEY, R. H., MCKEOWN, T., and RECORD, R. G.: Influence of the
 pre-natal environment on post-natal growth, 66
 CHEESEMAN, E. A.: *see* CAMPBELL, W. A. B., and CHEESEMAN, E. A.
 Chest girth of men related to stature, age, body-weight, and social
 status, 108
 Child morbidity and social class, 24
 —, pre-school, stature and skeletal maturation in, 59
 CLEMENTS, E. M. B., and PICKETT, K. G.: Body-weight of men
 related to stature, age, and social status, 99
 —: Chest girth of men related to stature, age, body-weight, and
 social status, 108
 Consultants, use of by G.P., 88
 CRAWFORD, J. C. C.: Study of two years' work in Northern Ireland
 general practice, 81
 CROSS, K. W.: Survey of mental hospitals and mental deficiency
 institutions in the Birmingham region. I. Mental hospitals, 29;
 II. Mental deficiency institutions, 162
 —, and HALL, D. L. A.: Survey of entrants to nurse training schools
 and of student-nurse wastage in the Birmingham region, 70
 —: *see also* HOGBEN, L., and CROSS, K. W.

 DAUNCEY, M.: *see* TAYLOR, W., and DAUNCEY, M.
 Death, causes of, international classification, 9
 Disablement and death, premature, among post office workers, 147
 Disease, infectious, incidence in first 3 years of life related to social
 circumstances, 24
 — in the aged, 144
 Dorset, old people living in: socio-medical survey, 139

 Emergency beds in hospitals, provision of, 77
 Employment of mental deficient, 166
 England and Wales, admissions to mental hospitals, 185
 Environment, pre-natal, influence on post-natal growth, 66
 — and growth of children, 59

 Fertility and blood groups, 125
 —, comparative, in local government areas of England and W
 1951, 176
 —, maternal, and congenital malformations, 17
 Field work, design of records for, 10

 General practice in Northern Ireland, 81
 Geriatrics, Dorset survey, 139
 Gestation, duration of, 66
 Growth of pre-school child, 59
 —, post-natal, influence of pre-natal environment on, 66

 HALL, D. L. A.: *see* CROSS, K. W., and HALL, D. L. A.
 Height, children, 59
 —, infants, 66
 —, men, 99, 108
 HEWITT, D.: *see* ACHESON, R. M., and HEWITT, D.
 HOGBEN, L., and CROSS, K. W.: Design of records for field work, 10
 HOSKER, M. E.: *see* CASE, R. A. M., and HOSKER, M. E.
 Hospitals, mental, in Birmingham region, 29
 —, in Scotland, admissions to, 180
 —, provisions of emergency beds in, 77
 —, Scottish mental, admissions to, in last hundred years, 180
 —, use of by G.P., 88
 Housing of old people in Dorset, 140
 Hydrocephalus, incidence related to birth rank and maternal age, 17

 ILLSLEY, R., BILLEWICZ, W. Z., and THOMSON, A. M.: Prematurity
 and paid work during pregnancy, 153
 Infant feeding in Belfast, 51
 — mortality, current differential, in England and Wales, 157
 — in England and Wales, 1
 Infectious disease in first 3 years of life, incidence related to social
 circumstances, 24
 INGALLS, T. H., PUGH, T. F., and MACMAHON, B.: Incidence of
 anencephalus, spina bifida, and hydrocephalus related to birth rank
 and maternal age, 17
 Intelligence quotient of children at special schools, 163
 Ireland, admissions to mental hospitals in, 185
 —, Northern, general practice in, 81

 JOHNSTONE, J. M.: Heterospecific pregnancy, 117
 —: Sex-ratio and ABO blood groups, 124

 LOGAN, W. P. D.: Social class variations in mortality, 128
 LOWE, C. R.: Recent trends in survival of patients with respiratory
 tuberculosis, 91
 —, and MCKEOWN, T.: Incidence of infectious disease in the first
 3 years of life, related to social circumstances, 24
 Lunacy, provisions for, 29
 —, legislation, 180

 MCKEOWN, T.: *see* CAWLEY, R. H., MCKEOWN, T., and RECORD
 R. G.
 —: *see* LOWE, C. R., and MCKEOWN, T.
 MACMAHON, B.: *see* INGALLS, T. H., PUGH, T. F., and MACMAHON, B.
 Malformations of C.N.S., congenital, 17, 163
 Maternal age and birth weight, 66
 — and breast feeding, 53
 — incidence of anencephalus, spina bifida and hydrocephalus
 related to, 17
 — of infectious disease, 24
 — mortality, changing pattern in England and Wales, 172
 Maturation of children, 60
 Medical staff in mental hospitals, 34, 168
 Men, body-weight of, related to stature, age, and social status, 99
 —, chest girth of, related to stature, age, body-weight, and social
 status, 108
 Mental deficiency institutions in Birmingham region, 162
 — disorder, 163
 — hospitals in Birmingham region, 29
 —, Scottish, admissions to, in last hundred years, 180
 Morbidity in children, and social class, 24
 — of old people, 140
 — of patients in general practice, 86
 — in post office workers, 147
 —, social class variations in, 132
 Mortality, current differential infantile, in England and Wales, 157
 — in England and Wales, changing pattern of, 1, 172, 173
 —, infant, in England and Wales, 1, 157, 173
 —, —, by social class, 135
 —, maternal, changing pattern in England and Wales, 178
 —, neonatal, 7, 135
 —, occupational, 39, 128
 —, premature, in post office workers, 147
 — in rubber industry, 42
 —, social class variations in, 128
 — from tuberculosis, 91

- Naphthylamines, carcinogenic properties of, 39
 Nervous disorder, 163
 NEWELL, D. J.: Provision of emergency beds in hospitals, 77
 Northern Ireland general practice, study of 2 years' work in, 81
 Nursing schools in Birmingham region, survey of entrants to, 70
 — staff in mental hospitals, 34, 169
 — students, wastage of, 70
- Occupational disease in rubber industry, tumour of urinary bladder as, 39
 Old people living in Dorset: socio-medical survey, 139
 Overcrowding and infant mortality, 160
 — in mental hospitals, 30, 164
 Oxford Child Health Survey: stature and skeletal maturation in pre-school child, 59
- Papilloma of bladder, 41
 PICKETT, K. G.: *see* CLEMENTS, E. M. B., and PICKETT, K. G.
 Post-natal growth, pre-natal environment and, 66
 Post office workers, premature disablement and death among, 147
 Pregnancy heterospecific, 117
 —, prematurity and paid work during, 153
 Premature disablement and death among post office workers, 147
 Prematurity and paid work during pregnancy, 153
 Pre-natal environment and post-natal growth, 66
 Psychiatric clinics, 36
 Puerperal mortality in England and Wales, 178
 —, causes of, 174
 PUGH, T. F.: *see* INGALLS, T. H., PUGH, T. F., and MACMAHON, B.
 Punch-card records for field work, 10
- RECORD, R. G.: *see* CAWLEY, R. H., MCKEOWN, T., and RECORD, R. G.
 Records for field work, design of, 10
 — in general practice, 82
 REID, D. D.: *see* ROBERTS, C. G., and REID, D. D.
 Respiratory tuberculosis, recent trends in survival of patients with, 91
 Rh blood groups, 120, 124
 Rhode Island, U.S.A., incidence of congenital malformations, 17
 ROBERTS, C. G., and REID, D. D.: Premature disablement and death among post office workers, 147
 Rubber industry, tumour of urinary bladder as occupational disease in, 39
- Scotland, mental hospitals, admissions to, in last hundred years, 180
 Scotsmen, body-weight of, 99
 —, chest girth of, 108
 Sex distribution of sibs, 178
- Sex ratio and ABO blood groups, 117
 Sibs, sex distribution of, 178
 SIMONDS, W. H., and STEWART, A.: Old people living in Dorset: a socio-medical survey of private households, 139
 Skeletal maturation and stature in pre-school child, 59
 Social class variations in mortality, 128
 — circumstances, incidence of infectious disease in first 3 years of life related to, 24
 — — of old people in Dorset, 140
 — — and infant mortality, 160
 — — and paid work during pregnancy, 154
 — status, body-weight of men related to, 99
 — —, chest girth of men related to, 108
 — —, growth of children and, 59
 Special schools, I.Q. of children in, 163
 Spina bifida, incidence related to birth rank and maternal age, 17
 Stature and skeletal maturation in pre-school child, 59
 —, body-weight of men related to, 99
 — chest girth of men related to, 108
 STEWART, A.: *see* SIMONDS, W. H., and STEWART, A.
 Stillbirths, 7, 135
 Student-nurse wastage in Birmingham region, 70
- TAYLOR, W.: Changing pattern of mortality in England and Wales.
 I. Infant mortality, 1
 —: Comparative fertility in the local government areas of England and Wales, 1951, 176
 —: Current differential infantile mortality in England and Wales, 157
 —: Note on the sex distribution of sibs, 178
 — and DAUNCEY, M.: Changing pattern of mortality in England and Wales. II. Maternal mortality, 172
 THOMSON, A. M., *see* ILLSLEY, R., BILLEWICZ, W. Z., and THOMSON, A. M.
 Todd standards of child growth, 59, 63
 Tuberculosis, respiratory, recent trends in survival of patients with, 91
 Tumour of urinary bladder as occupational disease in rubber industry, 39
 Tyre factory workers, bladder tumours in, 39
- Urinary bladder tumour as occupational disease in rubber industry, 39
- Weight, birth, 66
 — of men related to chest girth, 108
 — — stature, age, and social status, 99
 Women, mortality rates, by occupation of husband, 134
 Work, paid, during pregnancy, and prematurity, 153
- 1:2:8:9-dibenzacridine, 39

'A good book and worthy of careful study by everyone who is or may be concerned with the care of the aged or the chronic sick'—

The British Medical Journal

TREVOR H. HOWELL'S

Our Advancing Years

*An Essay on Modern Problems
of Old Age*

Ours is an ageing population: one in nine is over 65, and more than one in four over 50. The care of the elderly has, therefore, become the responsibility of more people than ever before.

In this stimulating and encouraging book, Dr. Trevor H. Howell, consultant at a leading geriatric hospital, surveys recent advances in this field and stresses certain hopeful trends—the increasing interest of younger doctors in the *happiness* of their elderly patients, for example, and the growth of co-operation between hospitals, civil authorities and voluntary organisations.

Dr. Howell also deals at some length with the disabilities and ailments of the elderly, and discusses the problem of relations between the young and old in the home.

Large Crown 8vo. 192 pp. text
28 plates 16s. net

Phoenix

Published by Phoenix House Ltd.
38 William IV Street, London, W.C.2.

From, or through, your bookshop

REFRESHER COURSE

FOR

GENERAL PRACTITIONERS

SECOND VOLUME

The second collection of Refresher Course articles that have been printed in the *British Medical Journal*, has now been published in book form. There are sixty chapters and each one has been revised and brought up-to-date by the authors. The widest possible range of articles has been specially selected so that the book will be invaluable not only to the General Practitioner, but also to Specialists who wish to keep themselves informed of advances in all fields of Medicine.

The volume has 570 pages medium 8vo, and is strongly bound in red cloth. An early order is advised.

Price 26s. incl. postage

A few copies of the first collection are still available

SECOND VOLUME

OF

'ANY QUESTIONS?'

FOR TEN YEARS a number of experts have each week constituted a Brains Trust for answering questions sent to the

BRITISH MEDICAL JOURNAL

from all over the world.

The second volume of "Any Questions?" complements the 1st volume, of which 10,000 copies have been sold. Subjects covered lightly in the 1st volume, such as "Marital Problems" and "Immunization", receive more detailed treatment in the new volume.

Please reserve your copy now as the edition is limited. The book is bound in cloth, fully indexed, small enough to fit the pocket, and quite indispensable to the general practitioner in his daily work.

224 pages, price 7/6, post 6d. extra

Obtainable from booksellers or
direct from the:

Publishing Manager

**B.M.A. HOUSE, TAVISTOCK
SQUARE, LONDON, W.C.1**

BRITISH JOURNAL OF INDUSTRIAL MEDICINE

Contents—October, 1954

Carbon Disulphide Poisoning in Viscose Rayon Plants. *Enrico C. Vigliani.*

Infective Pneumoconiosis: I. The Influence of Dead Tubercle Bacilli (B.G.G.) on the Dust Lesions Produced by Anthracite, Coal-mine Dust, and Kaolin in the Lungs of Rats and Guinea-pigs. *Daphne Attygalle, C. V. Harrison, E. J. King, and G. P. Mohanty.*

Coronary Heart Disease in Transport Workers: A Progress Report. *J. N. Morris and P. A. B. Raffle.*

Bursitis of the Shoulder in Coal Miners using Boring Machines. *T. A. Hunt, O. P. Edmonds, and R. H. P. Fernandez.*

A Social and Occupational Study of the Causes, Cost, and Prevention of Infections of the Hand. *Ruth Wilkes.*

Soap Wrappers' "Jig". *P. C. Wason.*

A Size-Selecting Sampler for Airborne Dust. *B. M. Wright.*

A Follow-up Study of Pneumoconiosis in an Iron Foundry and Some Investigations into the Effect of Foundry Dust in the Lungs. *G. F. Keatinge and H. E. Harding.*

An Investigation of Warts Prevalent Among Workers in the Reduction Works of the Aluminium Industry. *R. Lockhart.*

Miscellanea:

Some Recent Inquiries and Current Problems in the Social Organization of Industry. *D. H. Allcorn.*

Cancer of the Respiratory Tract. *Richard Doll.*

Transport Workers. *L. G. Norman.*

Book Reviews. Abstracts.

Yearly Subscription (4 Numbers) £2 2s. U.S.A. \$7.00.

Single Number 12s. 6d.

From the
Publishing Manager, B.M.A. House, Tavistock Square,
London, W.C.1