

**Appendix Table 1:** Description of educational levels (CASMIN classification)

<b>Educational levels (CASMIN classification)</b>		
<b>1</b>	<b>lowest</b>	Inadequately completed school (1a) General elementary education without vocational qualification (1b)
<b>2</b>	<b>low</b>	Basic vocational qualification (1c)
<b>3</b>	<b>intermediate</b>	Intermediate general qualification (2a) Intermediate vocational qualification (2b)
<b>4</b>	<b>high</b>	Maturity certificate (2c_gen) Vocational maturity certificate (2c_voc) Lower tertiary education (3a)
<b>5</b>	<b>highest</b>	Higher tertiary education (3b)

**Appendix Table 2:** Working hours-unadjusted working life expectancy (WLE) in years at age 50 and 60, GSOEP from 2001-2005 to 2016-2020 by gender and educational level (CASMIN classification)

		Women											
Age	Persons	2001-2005			2006-2010			2011-2015			2016-2020		
		WLE	CI		WLE	CI		WLE	CI		WLE	CI	
			lower	upper		lower	upper		lower	upper		lower	upper
<b>50</b>	<b>Total</b>	<b>7.42</b>	7.32	7.53	<b>8.41</b>	8.30	8.53	<b>9.88</b>	9.78	9.98	<b>11.18</b>	11.09	11.27
	<b>Educational level</b>												
	1 lowest	<b>5.78</b>	5.51	6.06	<b>5.52</b>	5.15	5.89	<b>6.84</b>	6.48	7.19	<b>7.07</b>	6.73	7.41
	2 low	<b>7.04</b>	6.87	7.22	<b>8.11</b>	7.91	8.32	<b>9.20</b>	8.99	9.41	<b>10.72</b>	10.49	10.94
	3 intermediate	<b>7.61</b>	7.39	7.83	<b>8.51</b>	8.30	8.73	<b>10.16</b>	9.98	10.33	<b>11.39</b>	11.24	11.55
	4 high	<b>8.53</b>	8.25	8.81	<b>10.11</b>	9.83	10.38	<b>11.38</b>	11.17	11.59	<b>12.55</b>	12.38	12.73
	5 highest	<b>10.19</b>	9.89	10.48	<b>10.83</b>	10.54	11.11	<b>11.61</b>	11.38	11.85	<b>12.29</b>	12.08	12.49
<b>60</b>	<b>Total</b>	<b>1.12</b>	1.07	1.17	<b>1.50</b>	1.43	1.57	<b>2.11</b>	2.04	2.18	<b>3.04</b>	2.97	3.10
	<b>Educational level</b>												
	1 lowest	<b>1.06</b>	0.94	1.18	<b>1.09</b>	0.90	1.27	<b>1.62</b>	1.44	1.81	<b>1.85</b>	1.63	2.06
	2 low	<b>0.98</b>	0.90	1.05	<b>1.37</b>	1.25	1.48	<b>1.85</b>	1.73	1.97	<b>2.74</b>	2.60	2.88
	3 intermediate	<b>1.08</b>	0.95	1.21	<b>1.48</b>	<b>1.34</b>	1.62	<b>2.12</b>	1.99	2.24	<b>3.09</b>	2.98	3.21
	4 high	<b>1.27</b>	1.11	1.44	<b>1.91</b>	1.71	2.11	<b>2.56</b>	2.39	2.73	<b>3.71</b>	3.57	3.84
	5 highest	<b>2.02</b>	1.81	2.22	<b>2.43</b>	2.21	2.65	<b>3.08</b>	2.91	3.26	<b>3.53</b>	3.38	3.68
		Men											
<b>50</b>	<b>Total</b>	<b>9.57</b>	9.47	9.67	<b>10.16</b>	10.04	10.27	<b>11.24</b>	11.14	11.34	<b>11.91</b>	11.82	12.00
	<b>Educational level</b>												
	1 lowest	<b>7.92</b>	7.53	8.32	<b>6.40</b>	5.83	6.97	<b>8.48</b>	8.01	8.95	<b>8.54</b>	8.19	8.89
	2 low	<b>8.81</b>	8.66	8.97	<b>9.69</b>	9.50	9.89	<b>10.55</b>	10.36	10.73	<b>11.55</b>	11.36	11.73
	3 intermediate	<b>10.17</b>	9.91	10.43	<b>10.48</b>	10.23	10.73	<b>11.59</b>	11.38	11.79	<b>11.96</b>	11.78	12.14
	4 high	<b>10.15</b>	9.91	10.39	<b>10.60</b>	10.36	10.83	<b>11.92</b>	11.73	12.10	<b>12.85</b>	12.68	13.02
	5 highest	<b>12.31</b>	12.12	12.50	<b>12.49</b>	12.29	12.68	<b>12.99</b>	12.83	13.16	<b>13.14</b>	12.98	13.29
<b>60</b>	<b>Total</b>	<b>1.82</b>	1.76	1.88	<b>2.23</b>	2.15	2.31	<b>2.85</b>	2.78	2.92	<b>3.17</b>	3.11	3.24
	<b>Educational level</b>												
	1 lowest	<b>1.31</b>	1.13	1.49	<b>1.17</b>	0.88	1.47	<b>2.31</b>	2.01	2.61	<b>1.78</b>	1.54	2.02
	2 low	<b>1.39</b>	1.31	1.48	<b>1.98</b>	1.86	2.11	<b>2.46</b>	2.35	2.58	<b>2.99</b>	2.86	3.12
	3 intermediate	<b>2.13</b>	1.95	2.32	<b>2.43</b>	2.24	2.61	<b>3.16</b>	3.00	3.32	<b>3.14</b>	3.00	3.28
	4 high	<b>2.15</b>	2.00	2.31	<b>2.20</b>	2.03	2.37	<b>2.97</b>	2.82	3.12	<b>3.52</b>	3.38	3.66
	5 highest	<b>3.25</b>	3.10	3.39	<b>3.49</b>	3.35	3.64	<b>3.72</b>	3.60	3.85	<b>3.84</b>	3.71	3.97

Notes: CI lower and upper refers to 95% confidence intervals.

**Appendix Table 3:** Working hours-unadjusted healthy working life expectancy (HWLE) in years at age 50 and 60, GSOEP from 2001-2005 to 2016-2020 by gender and educational level (CASMIN classification)

Women													
Age	Persons	2001-2005			2006-2010			2011-2015			2016-2020		
		HWLE	CI		HWLE	CI		HWLE	CI		HWLE	CI	
			lower	upper		lower	upper		lower	upper		lower	upper
50	<b>Total</b>	<b>6.13</b>	6.02	6.23	<b>6.83</b>	6.71	6.95	<b>8.12</b>	8.01	8.23	<b>9.28</b>	9.18	9.38
	<b>Educational level</b>												
	1 lowest	<b>4.39</b>	4.12	4.66	<b>4.06</b>	3.71	4.41	<b>4.72</b>	4.39	5.06	<b>5.29</b>	4.97	5.62
	2 low	<b>5.78</b>	5.61	5.96	<b>6.64</b>	6.43	6.86	<b>7.57</b>	7.35	7.80	<b>8.79</b>	8.53	9.04
	3 intermediate	<b>6.52</b>	6.30	6.74	<b>7.03</b>	6.81	7.25	<b>8.40</b>	8.21	8.59	<b>9.43</b>	9.26	9.61
	4 high	<b>6.90</b>	6.60	7.19	<b>7.68</b>	7.37	7.98	<b>9.33</b>	9.09	9.58	<b>10.47</b>	10.25	10.68
	5 highest	<b>8.85</b>	8.53	9.17	<b>9.38</b>	9.06	9.69	<b>10.03</b>	9.76	10.30	<b>10.70</b>	10.46	10.93
60	<b>Total</b>	<b>0.91</b>	0.86	0.96	<b>1.25</b>	1.18	1.32	<b>1.77</b>	1.71	1.84	<b>2.48</b>	2.41	2.54
	<b>Educational level</b>												
	1 lowest	<b>0.89</b>	0.78	1.01	<b>0.91</b>	0.74	1.08	<b>1.23</b>	1.06	1.41	<b>1.34</b>	1.15	1.54
	2 low	<b>0.76</b>	0.69	0.83	<b>1.13</b>	1.02	1.24	<b>1.64</b>	1.53	1.76	<b>2.24</b>	2.10	2.38
	3 intermediate	<b>0.88</b>	0.77	1.00	<b>1.25</b>	1.12	1.39	<b>1.74</b>	1.62	1.86	<b>2.51</b>	2.39	2.62
	4 high	<b>1.08</b>	0.93	1.24	<b>1.40</b>	1.21	1.59	<b>2.05</b>	1.88	2.22	<b>3.01</b>	2.85	3.16
	5 highest	<b>1.75</b>	1.55	1.95	<b>2.19</b>	1.97	2.41	<b>2.71</b>	2.52	2.89	<b>3.03</b>	2.87	3.19
Men													
50	<b>Total</b>	<b>8.02</b>	7.91	8.13	<b>8.35</b>	8.23	8.48	<b>9.44</b>	9.32	9.55	<b>9.93</b>	9.83	10.03
	<b>Educational level</b>												
	1 lowest	<b>6.15</b>	5.74	6.55	<b>5.09</b>	4.53	5.64	<b>6.56</b>	6.09	7.02	<b>7.10</b>	6.75	7.45
	2 low	<b>7.13</b>	6.96	7.29	<b>7.65</b>	7.44	7.86	<b>8.47</b>	8.27	8.67	<b>9.10</b>	8.88	9.31
	3 intermediate	<b>8.95</b>	8.68	9.23	<b>8.69</b>	8.42	8.96	<b>9.83</b>	9.60	10.07	<b>10.08</b>	9.87	10.28
	4 high	<b>8.76</b>	8.50	9.02	<b>8.75</b>	8.49	9.01	<b>10.18</b>	9.96	10.40	<b>10.81</b>	10.60	11.02
	5 highest	<b>10.77</b>	10.53	11.00	<b>11.00</b>	10.77	11.24	<b>11.63</b>	11.43	11.83	<b>11.65</b>	11.45	11.85
60	<b>Total</b>	<b>1.54</b>	1.48	1.60	<b>1.85</b>	1.78	1.93	<b>2.33</b>	2.26	2.40	<b>2.55</b>	2.48	2.62
	<b>Educational level</b>												
	1 lowest	<b>1.06</b>	0.89	1.23	<b>1.08</b>	0.80	1.37	<b>1.65</b>	1.36	1.93	<b>1.36</b>	1.13	1.58
	2 low	<b>1.13</b>	1.05	1.20	<b>1.60</b>	1.48	1.72	<b>1.95</b>	1.84	2.07	<b>2.31</b>	2.17	2.44
	3 intermediate	<b>1.98</b>	1.80	2.16	<b>2.08</b>	1.90	2.26	<b>2.58</b>	2.42	2.74	<b>2.64</b>	2.50	2.78
	4 high	<b>1.86</b>	1.71	2.02	<b>1.76</b>	1.60	1.93	<b>2.54</b>	2.39	2.70	<b>2.63</b>	2.47	2.78
	5 highest	<b>2.83</b>	2.68	2.98	<b>2.99</b>	2.84	3.15	<b>3.19</b>	3.05	3.33	<b>3.32</b>	3.18	3.46

Notes: CI lower and upper refers to 95% confidence intervals.

**Appendix Table 4:** Working hours-adjusted unhealthy working life expectancy (UHWLE) in years at age 50 and 60, GSOEP from 2001-2005 to 2016-2020 by gender and educational level (CASMIN classification)

		2001-2005			2006-2010			2011-2015			2016-2020		
		Women			Women			Women			Women		
		UHWLE	CI		UHWLE	CI		UHWLE	CI		UHWLE	CI	
Age	Persons		lower	upper		lower	upper		lower	upper		lower	upper
50	<b>Total</b>	<b>0.95</b>	0.85	1.05	<b>1.15</b>	1.04	1.27	<b>1.25</b>	1.14	1.36	<b>1.37</b>	1.27	1.48
	<b>Educational level</b>												
	1 lowest	<b>0.98</b>	0.74	1.21	<b>0.92</b>	0.62	1.22	<b>1.38</b>	1.09	1.67	<b>1.13</b>	0.84	1.42
	2 low	<b>0.94</b>	0.77	1.10	<b>1.05</b>	0.84	1.25	<b>1.09</b>	0.87	1.31	<b>1.30</b>	1.04	1.55
	3 intermediate	<b>0.81</b>	0.59	1.02	<b>1.11</b>	0.89	1.32	<b>1.27</b>	1.08	1.46	<b>1.47</b>	1.29	1.65
	4 high	<b>1.21</b>	0.92	1.50	<b>1.83</b>	1.52	2.13	<b>1.57</b>	1.31	1.82	<b>1.55</b>	1.32	1.77
	5 highest	<b>1.02</b>	0.69	1.35	<b>1.15</b>	0.83	1.47	<b>1.20</b>	0.92	1.49	<b>1.24</b>	0.98	1.50
60	<b>Total</b>	<b>0.14</b>	0.10	0.18	<b>0.16</b>	0.11	0.22	<b>0.22</b>	0.16	0.28	<b>0.39</b>	0.32	0.45
	<b>Educational level</b>												
	1 lowest	<b>0.09</b>	-0.01	0.18	<b>0.11</b>	-0.03	0.24	<b>0.21</b>	0.06	0.35	<b>0.30</b>	0.14	0.46
	2 low	<b>0.15</b>	0.09	0.21	<b>0.15</b>	0.06	0.25	<b>0.11</b>	0.01	0.22	<b>0.31</b>	0.18	0.44
	3 intermediate	<b>0.12</b>	0.02	0.23	<b>0.16</b>	0.04	0.28	<b>0.27</b>	0.16	0.38	<b>0.42</b>	0.31	0.53
	4 high	<b>0.16</b>	0.02	0.30	<b>0.28</b>	0.11	0.46	<b>0.41</b>	0.25	0.57	<b>0.51</b>	0.36	0.67
	5 highest	<b>0.22</b>	0.03	0.40	<b>0.20</b>	-0.01	0.40	<b>0.27</b>	0.09	0.45	<b>0.38</b>	0.22	0.55
<b>Men</b>													
50	<b>Total</b>	<b>1.42</b>	1.32	1.53	<b>1.67</b>	1.54	1.79	<b>1.67</b>	1.56	1.79	<b>1.81</b>	1.71	1.92
	<b>Educational level</b>												
	1 lowest	<b>1.65</b>	1.24	2.05	<b>1.21</b>	0.66	1.76	<b>1.67</b>	1.21	2.13	<b>1.25</b>	0.92	1.58
	2 low	<b>1.54</b>	1.37	1.70	<b>1.90</b>	1.69	2.11	<b>1.95</b>	1.74	2.15	<b>2.24</b>	2.02	2.46
	3 intermediate	<b>1.14</b>	0.86	1.41	<b>1.70</b>	1.43	1.98	<b>1.67</b>	1.43	1.90	<b>1.76</b>	1.55	1.97
	4 high	<b>1.32</b>	1.05	1.58	<b>1.68</b>	1.42	1.94	<b>1.60</b>	1.37	1.82	<b>1.88</b>	1.66	2.09
	5 highest	<b>1.42</b>	1.17	1.66	<b>1.30</b>	1.06	1.55	<b>1.24</b>	1.03	1.46	<b>1.38</b>	1.16	1.59
60	<b>Total</b>	<b>0.25</b>	0.19	0.30	<b>0.34</b>	0.27	0.42	<b>0.47</b>	0.39	0.54	<b>0.56</b>	0.49	0.63
	<b>Educational level</b>												
	1 lowest	<b>0.24</b>	0.07	0.40	<b>0.09</b>	-0.19	0.36	<b>0.54</b>	0.26	0.82	<b>0.37</b>	0.16	0.57
	2 low	<b>0.24</b>	0.16	0.31	<b>0.35</b>	0.23	0.46	<b>0.46</b>	0.35	0.58	<b>0.60</b>	0.47	0.73
	3 intermediate	<b>0.15</b>	-0.03	0.32	<b>0.33</b>	0.15	0.51	<b>0.56</b>	0.40	0.72	<b>0.48</b>	0.34	0.62
	4 high	<b>0.28</b>	0.13	0.43	<b>0.39</b>	0.23	0.56	<b>0.36</b>	0.21	0.52	<b>0.83</b>	0.67	0.98
	5 highest	<b>0.38</b>	0.22	0.53	<b>0.42</b>	0.26	0.58	<b>0.48</b>	0.34	0.63	<b>0.46</b>	0.32	0.60

Notes: CI lower and upper refers to 95% confidence intervals.

**Appendix Table 5:** Working hours-unadjusted unhealthy working life expectancy (UHWLE) in years at age 50 and 60, GSOEP from 2001-2005 to 2016-2020 by gender and educational level (CASMIN classification)

		2001-2005			2006-2010			2011-2015			2016-2020		
		UHWLE	CI		UHWLE	CI		UHWLE	CI		UHWLE	CI	
Age	Persons		lower	upper		lower	upper		lower	upper		lower	upper
50	<b>Total</b>	<b>1.30</b>	1.19	1.41	<b>1.58</b>	1.47	1.70	<b>1.76</b>	1.65	1.86	<b>1.90</b>	1.80	2.00
	<b>Educational level</b>												
	1 lowest	<b>1.41</b>	1.14	1.68	<b>1.47</b>	1.12	1.83	<b>2.11</b>	1.77	2.45	<b>1.81</b>	1.49	2.14
	2 low	<b>1.26</b>	1.08	1.43	<b>1.47</b>	1.26	1.68	<b>1.63</b>	1.41	1.86	<b>1.93</b>	1.68	2.18
	3 intermediate	<b>1.10</b>	0.88	1.32	<b>1.47</b>	1.25	1.69	<b>1.75</b>	1.56	1.94	<b>1.96</b>	1.78	2.13
	4 high	<b>1.63</b>	1.34	1.92	<b>2.43</b>	2.12	2.73	<b>2.05</b>	1.81	2.30	<b>2.09</b>	1.88	2.30
	5 highest	<b>1.33</b>	1.01	1.65	<b>1.45</b>	1.13	1.76	<b>1.58</b>	1.31	1.85	<b>1.59</b>	1.35	1.82
60	<b>Total</b>	<b>0.21</b>	0.16	0.25	<b>0.25</b>	0.19	0.32	<b>0.34</b>	0.27	0.40	<b>0.56</b>	0.50	0.63
	<b>Educational level</b>												
	1 lowest	<b>0.16</b>	0.05	0.28	<b>0.19</b>	0.02	0.36	<b>0.39</b>	0.22	0.56	<b>0.50</b>	0.31	0.70
	2 low	<b>0.22</b>	0.15	0.29	<b>0.23</b>	0.12	0.34	<b>0.21</b>	0.10	0.33	<b>0.50</b>	0.36	0.64
	3 intermediate	<b>0.20</b>	0.08	0.32	<b>0.23</b>	0.09	0.36	<b>0.38</b>	0.26	0.50	<b>0.59</b>	0.47	0.71
	4 high	<b>0.19</b>	0.04	0.35	<b>0.52</b>	0.32	0.71	<b>0.51</b>	0.34	0.68	<b>0.70</b>	0.55	0.85
	5 highest	<b>0.27</b>	0.06	0.47	<b>0.24</b>	0.02	0.46	<b>0.38</b>	0.19	0.56	<b>0.50</b>	0.34	0.66
<b>Men</b>													
50	<b>Total</b>	<b>1.55</b>	1.44	1.66	<b>1.80</b>	1.67	1.92	<b>1.80</b>	1.69	1.92	<b>1.98</b>	1.88	2.09
	<b>Educational level</b>												
	1 lowest	<b>1.77</b>	1.36	2.18	<b>1.31</b>	0.75	1.86	<b>1.92</b>	1.46	2.38	<b>1.44</b>	1.09	1.78
	2 low	<b>1.69</b>	1.53	1.86	<b>2.05</b>	1.83	2.26	<b>2.08</b>	1.88	2.28	<b>2.45</b>	2.23	2.67
	3 intermediate	<b>1.22</b>	0.94	1.49	<b>1.78</b>	1.51	2.05	<b>1.75</b>	1.52	1.98	<b>1.88</b>	1.68	2.08
	4 high	<b>1.40</b>	1.14	1.66	<b>1.83</b>	1.57	2.09	<b>1.73</b>	1.51	1.95	<b>2.05</b>	1.84	2.26
	5 highest	<b>1.54</b>	1.31	1.78	<b>1.48</b>	1.25	1.71	<b>1.36</b>	1.16	1.56	<b>1.49</b>	1.29	1.69
60	<b>Total</b>	<b>0.27</b>	0.22	0.33	<b>0.38</b>	0.30	0.45	<b>0.52</b>	0.45	0.59	<b>0.62</b>	0.55	0.69
	<b>Educational level</b>												
	1 lowest	<b>0.25</b>	0.08	0.42	<b>0.10</b>	-0.19	0.38	<b>0.66</b>	0.38	0.95	<b>0.42</b>	0.20	0.65
	2 low	<b>0.27</b>	0.19	0.35	<b>0.39</b>	0.27	0.50	<b>0.52</b>	0.40	0.63	<b>0.68</b>	0.55	0.82
	3 intermediate	<b>0.15</b>	-0.03	0.33	<b>0.35</b>	0.17	0.53	<b>0.58</b>	0.42	0.74	<b>0.50</b>	0.36	0.64
	4 high	<b>0.29</b>	0.14	0.44	<b>0.42</b>	0.25	0.59	<b>0.43</b>	0.27	0.58	<b>0.90</b>	0.75	1.06
	5 highest	<b>0.42</b>	0.27	0.57	<b>0.50</b>	0.35	0.65	<b>0.53</b>	0.39	0.67	<b>0.52</b>	0.38	0.66

Notes: CI lower and upper refers to 95% confidence intervals.

**Appendix Table 6:** Proportion of working life spent in good SRH as percentages (health ratio) at age 50 and 60, GSOEP from 2001-2005 to 2016-2020 by gender and educational level (CASMIN classification)

		Women											
		2001-2005			2006-2010			2011-2015			2016-2020		
		H-Ratio	CI		H-Ratio	CI		H-Ratio	CI		H-Ratio	CI	
Age	Persons	%	lower	upper	%	lower	upper	%	lower	upper	%	lower	upper
<b>50</b>	<b>Total</b>	<b>82.6</b>	80.8	84.5	<b>81.2</b>	79.3	83.0	<b>82.7</b>	81.2	84.1	<b>83.4</b>	82.1	84.6
	<b>Educational level</b>												
	1 lowest	<b>75.5</b>	69.5	81.4	<b>73.7</b>	65.1	82.3	<b>68.0</b>	61.3	74.7	<b>75.5</b>	69.2	81.7
	2 low	<b>81.3</b>	78.0	84.6	<b>81.3</b>	77.7	85.0	<b>82.4</b>	78.9	86.0	<b>82.1</b>	78.6	85.6
	3 intermediate	<b>86.2</b>	82.5	89.8	<b>82.7</b>	79.4	86.0	<b>83.3</b>	80.8	85.8	<b>82.8</b>	80.7	84.9
	4 high	<b>82.0</b>	77.7	86.3	<b>76.6</b>	72.7	80.5	<b>82.2</b>	79.3	85.1	<b>84.0</b>	81.6	86.3
	5 highest	<b>86.8</b>	82.5	91.1	<b>86.2</b>	82.3	90.0	<b>86.8</b>	83.6	89.9	<b>87.2</b>	84.6	89.9
<b>60</b>	<b>Total</b>	<b>81.8</b>	76.3	87.3	<b>83.6</b>	77.7	89.5	<b>85.0</b>	81.0	89.0	<b>82.0</b>	79.1	85.0
	<b>Educational level</b>												
	1 lowest	<b>86.4</b>	72.0	100.8	<b>83.2</b>	61.9	104.6	<b>77.8</b>	62.3	93.3	<b>73.2</b>	58.6	87.8
	2 low	<b>76.5</b>	67.3	85.7	<b>82.6</b>	71.9	93.2	<b>90.7</b>	82.3	99.1	<b>81.7</b>	74.1	89.3
	3 intermediate	<b>84.4</b>	71.2	97.5	<b>84.3</b>	72.9	95.8	<b>82.5</b>	75.2	89.8	<b>81.7</b>	76.8	86.7
	4 high	<b>83.9</b>	69.7	98.1	<b>79.1</b>	66.1	92.2	<b>79.6</b>	71.5	87.8	<b>81.5</b>	75.9	87.1
	5 highest	<b>85.5</b>	73.0	97.9	<b>88.8</b>	77.2	100.4	<b>88.5</b>	80.7	96.3	<b>86.3</b>	80.4	92.1
		Men											
<b>50</b>	<b>Total</b>	<b>84.1</b>	82.9	85.3	<b>82.6</b>	81.3	83.9	<b>84.2</b>	83.1	85.3	<b>83.8</b>	82.8	84.7
	<b>Educational level</b>												
	1 lowest	<b>77.8</b>	72.3	83.3	<b>79.8</b>	70.7	88.9	<b>78.7</b>	72.9	84.5	<b>83.9</b>	79.6	88.2
	2 low	<b>81.4</b>	79.4	83.4	<b>79.2</b>	76.8	81.5	<b>80.4</b>	78.3	82.4	<b>79.2</b>	77.2	81.3
	3 intermediate	<b>88.2</b>	85.4	91.1	<b>83.0</b>	80.3	85.8	<b>84.8</b>	82.7	87.0	<b>84.5</b>	82.6	86.3
	4 high	<b>86.2</b>	83.4	89.0	<b>83.2</b>	80.6	85.8	<b>85.8</b>	83.8	87.8	<b>84.5</b>	82.7	86.3
	5 highest	<b>87.4</b>	85.2	89.6	<b>88.8</b>	86.7	90.9	<b>89.8</b>	88.0	91.5	<b>88.8</b>	87.0	90.5
<b>60</b>	<b>Total</b>	<b>85.0</b>	81.5	88.4	<b>83.4</b>	79.8	87.0	<b>82.2</b>	79.4	84.9	<b>80.7</b>	78.4	83.1
	<b>Educational level</b>												
	1 lowest	<b>81.0</b>	67.5	94.5	<b>91.9</b>	66.6	117.3	<b>73.6</b>	59.8	87.4	<b>74.4</b>	60.1	88.7
	2 low	<b>81.2</b>	75.3	87.1	<b>80.8</b>	74.5	87.2	<b>79.6</b>	74.4	84.7	<b>77.9</b>	73.0	82.8
	3 intermediate	<b>92.6</b>	83.5	101.7	<b>85.8</b>	77.9	93.6	<b>80.8</b>	75.2	86.4	<b>83.8</b>	79.1	88.6
	4 high	<b>85.9</b>	78.3	93.6	<b>80.8</b>	72.7	89.0	<b>86.7</b>	81.0	92.4	<b>74.7</b>	69.9	79.5
	5 highest	<b>86.9</b>	81.7	92.2	<b>86.7</b>	81.8	91.6	<b>86.1</b>	81.9	90.3	<b>87.2</b>	83.2	91.2

Notes: CI lower and upper refers to 95% confidence intervals, H-Ratio = health ratio as percentage values.